




Pats

KNITTING BOOK
NO. 249 (GIANT)


"JANET"
See page 20

10½d.

PATONS &
BALDWIN'S



"ANNE"
See page 3



Anne

(ILLUSTRATED ABOVE AND ON PAGE 2)

THE CARRYING COAT

MATERIALS:—

PATONS BEEHIVE BABY Wool.

"Patonised"—Shrink-Resist Finish.

Quantity 5 ozs.

"Parfrey" Knitting Needles—1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.

Five Buttons.

MEASUREMENTS:—

Length from top of shoulder 18 ins.

Width all round at under-arm 20 ins.

Length of sleeve from under-arm 6½ ins.

ABBREVIATIONS:—See page 33.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. *Check tension—see page 33.*

THE LEFT FRONT.—Using No. 10 Needles, cast on 95 stitches.

1st row.—Knit plain.

Repeat 1st row three times.

Proceed as follows:—

**** 1st row.**—K.1, * K.2, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, repeat from * to last 10 sts., K.10.

2nd row.—K.10, * (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, repeat from * to last st., K.1.

3rd row.—K.1, * (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.2, repeat from * to last 10 sts., K.10.

4th row.—K.10, * (P.1, K.2) twice, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, repeat from * to last st., K.1. **


Repeat from ** to ** ten times. Proceed as follows:—

***** 1st row.**—K.43, [K.2, wl. fwd. K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice] twice, K.24.

2nd row.—K.10, P.14, [(K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice] twice, P.42, K.1.

3rd row.—K.43, [(wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.2] twice, K.24.

[Continued on page 24]



"LINDSAY"

Lindsay

(ILLUSTRATED ABOVE)

MATERIALS:—

PATONS BEEHIVE LADY BETTY, 3-ply.

"Patonised"—Shrink-Resist Finish.

Quantity 3 ozs.

"Parfrey" Crochet Hook, No. 13.

Length of Ribbon.

MEASUREMENTS:—

Length from top of shoulder 9½ ins.

Width all round at under-arm 21 ins.

Length of sleeve from under-arm 5½ ins.

ABBREVIATIONS:—See page 33.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 4 clusters to 1 inch in width and 2 clusters to 1 inch in height.

Check tension — see page 33.

(The Jacket is worked in one piece.)

THE BACK.—Make 102 ch. loosely.

1st row.—Miss 3 ch., wool over hook, insert hook through next ch., draw a loop through, wool over hook, draw through 2 loops, wool over hook, insert hook in the same stitch, wool over hook, draw a loop through, wool over hook and draw through 2 loops, wool over hook and draw through 2 loops, wool over hook and draw through the remaining 2 loops, 1 ch., * miss 1 ch., wool over hook, insert the hook in the next st., wool over hook, draw a loop through, wool over hook and draw through 2 loops, wool over hook, insert the hook in the same stitch, wool over hook, draw a loop through, wool over hook and draw through 2 loops, wool over hook, insert the hook in the same stitch, wool over hook and draw a loop through, wool over hook and draw through 3 loops, wool over hook and draw through 3 loops (the working of these 3 tr. will be termed "Cluster" throughout), repeat from * to the end of the row, 2 ch., turn.

2nd row.—Miss 1 "Cluster," 1 d.c. in the space * 1 ch., miss 1 "Cluster," 1 d.c. in the space, repeat from * to end of row, working last d.c. in the turning ch. of previous row.

[Continued on page 31]



"ELAINE"

Elaine

(WITH SHORT OR LONG SLEEVES —
ILLUSTRATED ABOVE)

MATERIALS:—

PATONS BEEHIVE LADY BETTY, 2-ply.

"Patonised"—Shrink-Resist Finish.

Quantities:

Short Sleeves 2 ozs.
Long sleeves 3 ozs.

A Daisy Wheel.

"Parfrey" Crochet Hook, No. 13.

Three Small Buttons.

MEASUREMENTS:—

Length from top of shoulder 11 ins.
Width all round at under-arm 18 ins.
Length of sleeve from under-arm—
Short 2½ ins.
Long 6½ ins.

ABBREVIATIONS:—See page 33.

TENSION:—It is absolutely necessary to work at a tension to produce 2 patterns to 1 inch and 5 rows to 1 inch in pattern used in yoke. *Check tension — see page 33.*

Make 120 Daisies and 4 half Daisies for Short Sleeves; 144 Daisies and 4 half Daisies for Long Sleeves.

(Use Wool double for Daisies only.)

TO MAKE DAISIES.—Place wheel knob downwards in left hand. Put wool on flat side of wheel and hold in position in centre with thumb of left hand. Wind wool over a point of wheel and over point exactly opposite, repeat this once, taking care not to cross wool in centre (4 loops on both points). Pass to next point and its opposite, and wind wool in same manner. Repeat until all points are used (12 petals). Break off wool 6 ins. from wheel. Thread a darning needle, stitch over and over diagonally between each petal in centre of daisy. Draw into a firm centre and fasten off securely.

TO MAKE HALF DAISIES.—Make as given for daisies, winding wool once over each point instead of twice. When joining half daisies to garment, fold in half to make four threads in each petal.

TO JOIN DAISIES.—When joining daisies, a picot will be worked in every third petal throughout. Using Crochet Hook, work as follows in conjunction with

[Continued on page 31

PATONS &
BALDWIN'S



"DONALD"
See page 7

Donald

(ILLUSTRATED OPPOSITE)

MATERIALS:—

PATONS BEEHIVE BABY Wool.

"Patonised"—Shrink-Resist Finish.

Quantities:—

Blue Wool 2 ozs.
White Wool 2 ozs.

"Parfrey" Knitting Needles—1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.
"Parfrey" Crochet Hook, No. 12.
Five Small Buttons.
Two Press Studs.

MEASUREMENTS:—

Length from top of shoulder 15½ ins.
Width all round at under-arm 19 ins.
Length of sleeve from under-arm (with cuff turned up) 7½ ins.

ABBREVIATIONS:—See page 33. B = Blue; W = White.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. *Check tension—see page 33.*

THE FRONT.—Using Blue Wool and No. 10 Needles, cast on 38 stitches.

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

3rd row.—K.8, wl. fwd., K.2 tog., (K.9, wl. fwd., K.2 tog.) twice, K.6.

Repeat 2nd row once, then 1st and 2nd rows once.

** 7th row.—Knit plain to end of row, cast on 30 sts.

8th row.—K.1, purl to end of row, cast on 30 sts.

9th row.—Like 1st row. 10th row.—Like 2nd row.

11th row.—K.1, increase once in each of next 29 sts., K.38, increase once in each of next 29 sts., K.1 (156 sts.).

12th row.—Like 2nd row.

Continue in plain, smooth fabric, without shaping, until work measures 9½ ins. from commencement, ending with 2nd row.

Using No. 12 Needles, proceed as follows:—

1st row.—K.3, (K.2 tog.) eight times, (K.3 tog.) fifteen times, K.28, (K.3 tog.) fifteen times, (K.2 tog.) eight times, K.3 (80 sts.).

2nd row.—K.1, purl to last st., K.1.

3rd row.—K.3, * P.2, K.2, repeat from * to last st., K.1.

4th row.—K.1, * P.2, K.2, repeat from * to last 3 sts., P.2, K.1.

Repeat 3rd and 4th rows seven times.

Break off Blue Wool, join in White Wool.

Using No. 10 Needles, proceed as follows:—

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows eleven times.

Cast off 3 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in every row four times (66 sts.).

Work 6 rows without shaping.

Join in Blue Wool, proceed as follows:—

*** 1st row.—* Slip 2 purlways W, P.2B, wool back, repeat from * to last 2 sts., slip 2 purlways W.

2nd row.—Slip 2 purlways W, * K.2B, wl. fwd., slip 2 purlways W, wool back, repeat from * to end of row.

Using White Wool, work 4 rows in plain, smooth fabric. ***

Using Blue Wool.

7th row.—* P.2B, wool back, slip 2 purlways W, wl. fwd., repeat from * to last 2 sts., P.2B.

8th row.—* K.2B, wl. fwd., slip 2 purlways W, wool back, repeat from * to last 2 sts., K.2B.

Using White Wool, K.27, turn.

Work 3 rows in plain, smooth fabric, casting off 3 sts. at beginning of 3rd row.

Continue as given from *** to ***, casting off 3 sts. at beginning of needle in following alternate row once, then decrease once at neck edge in every row, until 18 sts. remain.

Work 2 rows without shaping. Cast off.

Commencing again where sts. were left, slip next 12 sts. on to a spare needle, join in White Wool and work to correspond with other side.

THE BACK.—Work exactly as given for Front, omitting button-holes, until arm-hole shapings have been completed. Work 6 rows without shaping.

Continue in pattern, as given for Front, until arm-holes measure same as Front arm-holes. Cast off.

THE SLEEVES.—Using Blue Wool and No. 12 Needles, cast on 44 stitches.

1st row.—K.3, * P.2, K.2, repeat from * to last st., K.1.

2nd row.—K.1, * P.2, K.2, repeat from * to last 3 sts., P.2, K.1. Repeat 1st and 2nd rows twelve times.

Using White Wool and No. 10 Needles, proceed as follows:—1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Continue in plain, smooth fabric, increasing once at each end of needle in 5th and every following 6th row until there are 66 sts. on needle.

Continue without shaping until work measures 9 ins. from commencement.

Cast off 3 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in every row until 36 sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECK BAND.—Sew up right shoulder seam. With right side of work facing and using Blue Wool and No. 12 Needles, knit up 21 sts. evenly along left side of neck, 12 sts., from front spare needle, 21 sts. along right side of neck, then 30 sts. across back of neck (84 sts.).

1st row.—K.3, * P.2, K.2, repeat from * to last st., K.1.

2nd row.—K.1, * P.2, K.2, repeat from * to last 3 sts., P.2, K.1.

Repeat 1st and 2nd rows four times. Cast off in rib.

THE LEG BANDS.—Sew up side seams.

With right side of work facing, and using Blue Wool and No. 12 Needles, knit up 76 sts. evenly round leg opening.

1st row.—K.3, * P.2, K.2, repeat from * to last st., K.1.


2nd row.—K.1, * P.2, K.2, repeat from * to last 3 sts., P.2, K.1. Repeat 1st row once.

4th row.—K.1, P.2, w.r.n., K.2 tog., * P.2, K.2, repeat from * to last 3 sts., P.2, K.1.

Repeat 1st and 2nd rows twice. Cast off in rib.

Work other Leg Band in same manner, making a button-hole at opposite end of needle.

TO MAKE UP ROMPER SUIT.—With a slightly damp cloth and warm iron, press lightly. Sew up left shoulder seam for 1 inch. Sew up sleeve seams. Sew in sleeves, placing seam to seam. With right side of work facing and using White Wool and No. 10 Needles, knit up 18 sts. evenly across back shoulder opening. Work 6 rows in Garter Stitch. Cast off. Using Crochet Hook, work 1 row of d.c. round shoulder opening. Sew on buttons to correspond with button-holes. Sew press studs in position.



"SUE"

Sue

(ILLUSTRATED ABOVE)

MATERIALS:—

PATONS BEEHIVE Fingering, 2-ply.

"Patonised"—Shrink-Resist Finish.

Quantity 1½ ozs.

"Parfrey" Knitting Needles—1 pair each Nos. 11 and 12, measured on a Beehive Needle Gauge.

"Parfrey" Crochet Hook No. 13

Three Small Buttons.

MEASUREMENTS:—

Length from top of shoulder 11 ins.

Width all round at under-arm 20 ins.

Length of sleeve from under-arm 7½ ins.

ABBREVIATIONS:—See page 33.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 9 stitches to the inch in width. *Check tension—see page 33.*

THE FRONT:—Using No. 12 Needles, cast on 72 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row. Repeat 1st row nineteen times, decreasing once at end of needle in last row.

Using No. 11 Needles, proceed as follows:—

**** 1st row.—**K.1, * wl. fwd., K.3 tog., wl. fwd., K.3, repeat from * to last 4 sts., wl. fwd., K.3 tog., wl. fwd., K.1.

2nd row.—K.1, purl to last st., K.1.

3rd row.—K.4, * wl. fwd., K.3 tog., wl. fwd., K.3, repeat from * to last st., K.1.

Repeat 2nd row once, then 1st and 2nd rows once.

7th row.—Knit plain.

8th row.—K.1, purl to last st., K.1.

Repeat 7th and 8th rows once. **

Repeat from ** to ** six times.

Cast off 3 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row until 59 sts. remain.

Work 19 rows in pattern without shaping.

In next row, K.21, cast off 17 sts., K.21.

Decrease once at neck edge in every row, until 16 sts. remain.


Work 6 rows without shaping.

Shape for shoulder as follows:—

1st row.—Work in pattern to last 8 sts., turn.

2nd row.—Work in pattern to end of row. Cast off.

[Continued on page 19]



"ROBYN"

Robyn

(ILLUSTRATED ABOVE)

MATERIALS:—

PATONS BEEHIVE LADY BETTY, 3-ply.

"Patonised"—Shrink-Resist Finish.

Quantity 2 ozs.

"Parfrey" Knitting Needles—1 pair each of Nos. 11 and 12, measured on a Beehive Needle Gauge.
Seven Small Buttons.

MEASUREMENTS:—

Length from top of shoulder 10½ ins.
Width all round at under-arm 20 ins.
Length of sleeve from under-arm 8 ins.

ABBREVIATIONS:—See page 33.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8½ stitches to the inch in width. *Check tension—see page 33.*

THE LEFT FRONT.—Using No. 12 Needles, cast on 46 stitches.

1st row.—* K.1, P.1, repeat from * to last 2 sts., K.2. Repeat 1st row twenty-three times, increasing once at end of needle in last row.

Using No. 11 Needles, proceed as follows:—

** 1st row.—Knit plain to last 7 sts. (P.1, K.1) three times, K.1.

2nd row.—(K.1, P.1) three times, K.1, purl to last st., K.1.

3rd row.—K.3, * (wl. fwd., K.2 tog.) twice, K.6, repeat from * to last 14 sts., (wl. fwd., K.2 tog.) twice, K.3, (P.1, K.1) three times, K.1.

4th row.—Like 2nd row.

5th row.—K.4, * wl. fwd., K.2 tog., K.8, repeat from * to last 13 sts., wl. fwd., K.2 tog., K.4, (P.1, K.1) three times, K.1.

6th row.—Like 2nd row.

7th row.—Like 1st row.

8th row.—Like 2nd row.

9th row.—K.8, * (wl. fwd., K.2 tog.) twice, K.6, repeat from * to last 9 sts., K.2, (P.1, K.1) three times, K.1.

10th row.—Like 2nd row.

11th row.—K.9, * wl. fwd., K.2 tog., K.8, repeat from * to last 8 sts., K.1, (P.1, K.1) three times, K.1.

12th row.—Like 2nd row. **

Repeat from ** to ** three times, then from ** to 8th row once.

[Continued on page 32]

Gwenda

(ILLUSTRATED AT LEFT)

MATERIALS:—

**PATONS BEEHIVE
LADY BETTY, 3-ply.**

**"Patonised"—Shrink-Resist
Finish.**

Quantity 3 ozs.

"Parfrey" Knitting Needles
—1 pair each Nos. 10
and 13, measured on a
Beehive Needle Gauge.

"Parfrey" Crochet Hook,
No. 13.

Length of Ribbon.


MEASUREMENTS (to fit 20 in. under-arm):—

Length from top of shoul-
der 11 ins.

Length of sleeve from
under-arm . . . 8 ins.

ABBREVIATIONS: — See page 33.

TENSION:—To get these
measurements it is abso-
lutely necessary to work
at a tension to produce
8½ stitches to the inch in
width. **Check tension —
see page 33.**



"GWENDA"

THE LEFT FRONT.—Using No. 10 Needles, cast on 55 stitches.

**** 1st row.**—* K.1, wl. fwd., K.2 tog., repeat from * to last st., K.1.

2nd row.—K.1, purl to last st., K.1.

3rd row.—K.1, * K.2 tog., wl. fwd., K.1, repeat from * to end of row.

4th row.—Like 2nd row. **

Repeat from ** to ** twenty-two times.

Cast off 5 sts. at beginning of next row, then decrease once at beginning of needle in every alternate row four times (46 sts.).

Work 20 rows in pattern without shaping.

Cast off 11 sts. at beginning of needle in next row.

Decrease once at end of needle in next and every alternate row three times.

Work 2 rows in pattern without shaping.

Shape for shoulder as follows:—

1st row.—Work in pattern to last 15 sts., turn.

2nd row.—Work in pattern to end of row.

In next row, cast off 5 sts., cast off 21 sts. knitting 3 tog. each time, cast off 5 sts.

THE RIGHT FRONT.—Work to correspond with Left Front, working shapings at opposite ends of needle.

THE BACK.—Using No. 10 Needles, cast on 79 stitches. Work in pattern as given from ** to ** for Left Front until work measures same as Fronts to under-arm.

Cast off 5 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row three times.

Continue in pattern without shaping, until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work in pattern to last 9 sts., turn.

3rd and 4th rows.—Work in pattern to last 17 sts., turn.

5th row.—Work in pattern to end of row.

Cast off.

THE SLEEVES.—Using No. 13 Needles, cast on 42 stitches.

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows four times.

11th row.—K.4, * increase once in next st., repeat from * to last 4 sts., K.4 (76 sts.).

12th row.—K.1, purl to last st., K.1.

[Continued on opposite page.]

Faye

(ILLUSTRATED AT RIGHT)

MATERIALS:—

PATONS BEEHIVE

Fingering, 3-ply.

"Patonised"—Shrink-Resist Finish.

Quantity 10 ozs.

"Parfrey" Knitting Needles
—1 pair No. 9, measured
on a Beehive Needle
Gauge.

"Parfrey" Crochet Hook,
No. 12.

MEASUREMENTS:—

37 ins. x 37 ins.

ABBREVIATIONS: — See
page 33.

TENSION:—To get these
measurements it is abso-
lutely necessary to work at
a tension to produce $7\frac{1}{2}$
stitches to the inch in
width. *Check tension—see
page 33.*

Cast on 2 stitches.

1st row.—Increase once in first st., K.1.

2nd row.—Increase once in first st., K.2.

3rd row.—Increase once in first st., knit plain to end of
row.

Repeat 3rd row until there are 324 sts. on needle.

Proceed as follows:—


1st row.—K.1, K.2 tog., knit plain to end of row.

Repeat 1st row until 2 sts. remain. Cast off.

TO MAKE UP SHAWL.—With a slightly damp cloth
and warm iron, press lightly. Using Crochet Hook, work
an edge round shawl as follows:—

1st round.—1 d.c. into each loop between rows (working
3 d.c. into each corner st.).

2nd round.—(3 ch., 2 tr., 4 ch., sl. st. into top of 2nd tr.,
3 tr.) into first d.c., 2 ch., miss 1 d.c., 1 d.c. into next
d.c., 2 ch., miss 1 d.c., * (3 tr., 4 ch., sl. st. into top of
3rd tr., 3 tr.) into next d.c., 2 ch., miss 1 d.c., 1 d.c.
into next d.c., 2 ch., miss 1 d.c., repeat from * to last
3 d.c., (3 tr., 4 ch., sl. st. into top of 3rd tr., 3 tr.) into
next d.c., 2 ch., miss 1 d.c., 1 d.c. into next d.c., 2 ch.,
sl. st. to first 3 ch. Fasten off.



Gwenda (continued from page 10)

Using No. 10 Needles, work in pattern as given from
** to ** for Left Front until work measures 8 ins. from
commencement.

Cast off 4 sts. at beginning of each of next 2 rows, then
decrease once at each end of needle in every row until
26 sts. remain.

Cast off.

Work another Sleeve in same manner.

THE NECK BAND.—Using No. 13 Needles, cast on 70
stitches.

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows three times.

Cast off.

TO MAKE UP JACKET.—With a slightly damp cloth
and warm iron, press lightly. Sew up side, shoulder and
sleeve seams. Sew in sleeves, placing seam to seam. Sew
neck band in position. Using Crochet Hook, work 1 round
of d.c. around Coat and lower edges of Sleeves, working
3 d.c. in each corner. Sew Ribben in position at neck.



"MARGARET"

Margaret

(ILLUSTRATED ABOVE)

MATERIALS:—

PATONS BONNY SPORTS Wool.

Quantity 1 lb. 4 ozs.

"Parfrey" Knitting Needles — 1 pair No. 5, measured* on a Beehive Needle Gauge.

MEASUREMENTS:—24½ ins. x 39 ins.

ABBREVIATIONS:—See page 33.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 4 stitches to the inch in width. *Check tension — see page 33.*

Cast on 123 stitches.

Work 8 rows in Garter Stitch.

Proceed as follows:—

**** 1st row.**—K.4, * K.3, slip 1 purlways, repeat from * to last 7 sts., K.7.

[Continued on page 33]

Washing Woollies?


Soap . . . Any good quality Household Soap may be used for washing Woollens, but if not already in flake or powder form it should be flaked before using.

Washing . . . Thoroughly dissolve a little soap, flake or powder, by pouring on a quart of boiling water. The soap will then dissolve quickly with a little stirring. After dissolving, warm water should be added to the required amount, so that the temperature of the washing liquid

is not higher than that of a hot bath. Do not put the garment in until you have tested the temperature of the water with your hand. If you cannot put your hand in the washing liquid it is too hot for woollens.

The garments should be put into this liquid, gently squeezed and moved about under the surface of the suds. Do not rub, and never let woollens lie in soap.

If the garment is not quite clean — repeat the above.



"LORRAINE"

Lorraine

(ILLUSTRATED ABOVE)

MATERIALS:—

PATONS BONNY SPORTS Wool.

Quantity 1 lb. 4 ozs.

"Parfrey" Crochet Hook, No. 6.

MEASUREMENTS:—22 ins. x 34 ins.

ABBREVIATIONS:—See page 33.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 2 patterns to $3\frac{1}{2}$ inches in width. *Check tension — see page 33.*

Make 77 chain (loosely).

1st row.—Miss 3 ch., 1 tr. in next ch., * miss 2 ch., 5 tr. in next ch., repeat from * to last 2 ch., 2 tr. in last ch., 1 ch., turn.

[Continued on page 33]

. Do it the Patons Way!

Rinsing . . . When clean, squeeze and rinse thoroughly in three fresh lots of warm water, with a good squeeze between rinses. Squeeze well and spread out to dry. Do not peg them to the clothes line or they will quickly lose shape.

THOROUGH RINSING IS MOST IMPORTANT; cold water should not be used for this purpose, and there should be no sign of lather after the last rinse.

When rinsing coloured woollens, add one tablespoonful of ordinary vinegar to the LAST rinsing water. This

prevents the colour from bleeding, and in addition keeps the colours bright.

This is especially recommended for garments of more than one colour.

Drying . . . All garments should be dried flat to preserve their shape. Dry as quickly as possible, but do not roast garments in front of a fire.

Remember . . . If you cannot put your hand in the washing liquid, it is too hot for Woollens.



PATONS &
BALDWIN'S

"DIANA"

Diana

(ILLUSTRATED ABOVE)

MATERIALS:—

PATONS BEEHIVE BABY Wool.

"Patonised"—Shrink-Resist Finish.

Quantity 3 ozs.

"Parfrey" Knitting Needles—1 pair No. 10, measured on a Beehive Needle Gauge.

Five Small Buttons.

MEASUREMENTS:—

Length from top of shoulder 7½ ins.

Width all round at under-arm 21 ins.

Length of sleeve, including mitten, from under-arm 7½ ins.

ABBREVIATIONS:—See page 33.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. *Check tension—see page 33.*

(The Coat is worked in one piece to under-arm.)

Cast on 168 stitches.

1st row.—K.6, * P.1, K.1, repeat from * to last 6 sts., K.6. Repeat 1st row four times.

6th row.—K.2, wl. fwd., K.2 tog., K.2, * P.1, K.1, repeat from * to last 6 sts., K.6.

Repeat 1st row four times.

Work 31 rows in Garter Stitch, making a button-hole as before in 22nd row from last button-hole.

THE RIGHT FRONT.

1st row.—K.44, turn; leave remaining sts. on a spare needle.

2nd row.—K.2 tog., knit plain to end of row.

Continue in Garter Stitch, decreasing once at beginning of needle in every alternate row until 20 sts. remain, whilst at same time making a button-hole as before in 7th and following 22nd row (4 button-holes). Cast off.

THE BACK.—With right side of work facing, join in wool at arm-hole edge and continue in Garter Stitch on next 80 sts., decreasing once at each end of needle in next and every alternate row, until 32 sts. remain. Cast off.

THE LEFT FRONT.—Join in wool at arm-hole edge, and work on remaining sts. to correspond with Right Front, omitting button-holes, and working shapings at opposite ends of needle.

THE SLEEVES.—Commencing at top of sleeve, cast on 16 stitches.

Continue in Garter Stitch, increasing once at each end of needle in every alternate row until there are 64 sts. on needle.

Work 31 rows without shaping.

Proceed as follows:—

1st row.—* K.2, P.2, repeat from * to last 2 sts., P.1, K.1. Repeat 1st row eleven times.

[Continued on opposite page.]

Leslie

(COAT—ILLUSTRATED ON BACK COVER)

MATERIALS:—

PATONS BEEHIVE BABY Wool.

"Patonised"—Shrink-Resist Finish.

Quantity 3 ozs.

"Parfrey" Knitting Needles—1 pair each Nos. 10 and 13, measured on a Beehive Needle Gauge.

A Small Quantity each of Pink and Green Embroidery Silk.

Three Small Buttons.

MEASUREMENTS:—

Length from top of shoulder 11½ ins.

Width all round at under-arm 21 ins.

Length of sleeve from under-arm 7½ ins.
(or length desired)

ABBREVIATIONS:—See page 33.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. *Check tension—see page 33.*

(The Coat is worked in one piece to under-arm.)

Using No. 10 Needles, cast on 256 stitches.

Work 8 rows in Garter Stitch.

9th row.—Knit plain.

10th row.—K.6, purl to last 6 sts., K.6.

Repeat 9th and 10th rows thirty-five times.

Using No. 13 Needles, proceed as follows:—

1st row.—K.7, * K.2 tog., K.1, repeat from * to last 6 sts., K.6 (175 sts.).

2nd row.—Knit plain.

Repeat 2nd row twice.

5th row.—K.2, cast off 2 sts., knit plain to end of row.

6th row.—Knit plain to last 2 sts., cast on 2 sts., K.2.

Repeat 2nd row twice.

Using No. 10 Needles, proceed as follows:—

In next row, K.42, cast off 8 sts., K.75, cast off 8 sts., K.42.

Keeping border of 6 sts. in Garter Stitch at centre front, continue in plain, smooth fabric on last 42 sts., decreasing once at beginning of needle in every alternate row, until 34 sts. remain.

Work 12 rows without chaping.

Cast off 15 sts. at beginning of next row, then decrease once at end of needle in next and every alternate row, until 16 sts. remain.

Shape for shoulder as follows:—

1st row.—Work to last 8 sts., turn.

2nd row.—Work to end of row. Cast off.

With wrong side of work facing, join in wool at armhole edge and continue in plain, smooth fabric on next 75 sts., decreasing once at each end of needle in every alternate row, until 59 sts. remain.

Continue without shaping until arm-holes measure same as Front arm-hole.

Shape for shoulders as follows:—

1st and 2nd rows.—Work to last 8 sts., turn.

3rd and 4th rows.—Work to last 16 sts., turn.

5th row.—Work to end of row. Cast off.

Join in wool at arm-hole edge and work on remaining sts. to correspond with Left Front, working border and shapings at opposite ends of needle, and making a button-hole as before in 12th and 13th and following 15th and 16 rows once (3 button-holes).

THE SLEEVES.—Using No. 13 Needles, cast on 40 sts. Work 4 rows in Garter Stitch.

Using No. 10 Needles, proceed as follows:—

1st row.—* K.1, increase once in next st., repeat from * to end of row (60 sts.).

2nd row.—K.1, purl to last st., K.1.

3rd row.—Knit plain.

Continue in plain, smooth fabric, until work measures 7½ ins. (or length desired) from commencement.

Decrease once at each end of needle in next and every alternate row, until 40 sts. remain, then in every row, until 22 sts. remain.

In next row, K.2 tog., * K.2 tog., pass first st. on right-hand needle over second st., repeat from * to end of row. Fasten off.

Work another Sleeve in same manner.

THE COLLAR.—Using No. 10 Needles, cast on 14 sts.

** 1st and 2nd rows.—Knit plain.

3rd row.—K.12, turn.

4th row.—Slip 1, K.11. **

Repeat from ** to ** until neck edge of collar measures 9 ins.

In next row, knit plain. Cast off.

TO MAKE UP COAT.—With a slightly damp cloth and warm iron, press lightly. Sew up shoulder and sleeve seams. Sew in sleeves, placing seam to centre of under-arm. Sew collar in position.

Embroider grub roses and leaves on points and back of collar. Sew on buttons to correspond with button-holes.

Diana (continued from page 14)

In next row, * K.14, K.2 tog., repeat from * to end of row (60 sts.).

Proceed as follows:—

1st row.—K.1, purl to last st., K.1.

2nd row.—Knit plain.

Repeat 1st and 2nd rows eleven times.

Work 4 rows in Garter Stitch.

Proceed as follows:—

1st row.—* K.8, K.2 tog., repeat from * to end of row.

2nd and alternate rows.—Knit plain.

3rd row.—* K.7, K.2 tog., repeat from * to end of row.

Continue decreasing in this manner until 18 sts. remain. Break off wool, draw thread through remaining sts., and fasten off securely.

Work another Sleeve in same manner.

Sew in Sleeves.

THE NECK-BAND.—With right side of work facing, knit up 20 sts. evenly along right side of neck, 16 sts. across top of right sleeve, 32 sts. across back of neck, 16 sts. across top of left sleeve, and 20 sts. along left side of neck (104 sts.).

1st row.—K.2, * P.1, K.1, repeat from * to end of row. Repeat 1st row twice.

4th row.—K.2, wl. fwd., K.2 tog., * P.1, K.1, repeat from * to end of row.

Repeat 1st row three times. Cast off in rib.

TO MAKE UP COAT AND MITTENS.—With a slightly damp cloth and warm iron, press lightly. Sew up sleeve seams. Sew on buttons to correspond with button-holes.

PATONS &
BALDWIN



"PATSY"
See page 17

Patsy

(ILLUSTRATED OPPOSITE)

MATERIALS:—

PATONS BEEHIVE BABY Wool.

“Patonised”—*Shrink-Resist Finish.*

Quantity 5 ozs.

“Parfrey” Knitting Needles—1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.

“Parfrey” Crochet Hook, No. 12.

Four Buttons.

MEASUREMENTS:—

Length from top of shoulder 17 ins.

Width all round at under-arm 20 ins.

Length of sleeve from under-arm 2½ ins.

ABBREVIATIONS:—See page 33.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. *Check tension—see page 33.*

THE FRONT.—Using No. 10 Needles, cast on 147 stitches loosely.

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows seven times.

With right side of work facing, and using a fine spare needle, pick up 147 sts. along cast-on edge, place at back of needle in use.

17th row.—Knit plain, knitting together one st. from each needle to form a hem.

18th row.—K.1, purl to last st., K.1.

Proceed as follows:—

*** 1st row.**—K.2, * wl. fwd., slip 1, K.1, p.s.s.o., K.1, K.2 tog., wl. fwd., K.1, repeat from * to last st., K.1.

2nd and alternate rows.—K.1, purl to last st., K.1.

3rd row.—K.3, * wl. fwd., K.3 tog., wl. fwd., K.3, repeat from * to end of row.

5th row.—K.2, * K.2 tog., wl. fwd., K.1, wl. fwd., slip 1, K.1, p.s.s.o., K.1, repeat from * to last st., K.1.

7th row.—K.1, K.2 tog., wl. fwd., K.3, * wl. fwd., K.3 tog., wl. fwd., K.3, repeat from * to last 3 sts., wl. fwd., slip 1, K.1, p.s.s.o., K.1.

8th row.—Like 2nd row. **

Repeat from ** to ** four times.

Proceed as follows:—

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Continue in plain, smooth fabric until work measures 13 ins. from commencement, ending with 2nd row.

In next row, (K.2 tog.) twenty-one times, (K.3 tog.) twenty-one times, (K.2 tog.) twenty-one times (63 sts.).***

In following row, K.1, purl to last st., K.1.

Repeat from ** to 6th row as given for Skirt.

Keeping continuity of pattern, cast off 4 sts. at the beginning of each of next 2 rows, then decrease once at each end of needle in next row, then every alternate row three times (47 sts.).

Work 19 rows in pattern without shaping.

In next row, work 19 sts. in pattern, cast off 9 sts., work in pattern to end of row.

Continue in pattern on last 19 sts., decreasing once at neck edge in every row three times (16 sts.).

Work 4 rows in pattern without shaping.

Shape for shoulder as follows:—

1st row.—Work in pattern to last 8 sts., turn.

2nd row.—Work in pattern to end of row. Cast off.

Join in wool at neck edge, and work on remaining sts. to correspond with other side.

THE BACK.—Work exactly as given for Front to *** (63 sts.).

Proceed as follows:—

1st row.—K.1, purl to last st., K.1.

2nd row.—K.1, * wl. fwd., slip 1, K.1, p.s.s.o., K.1, K.2 tog., wl. fwd., K.1, repeat from * three times, wl. fwd., slip 1, K.1, p.s.s.o., K.6, turn.

3rd and alternate rows.—K.4, purl to last st., K.1.

4th row.—K.2, * wl. fwd., K.3 tog., wl. fwd., K.3, repeat from * to last 7 sts., wl. fwd., K.2 tog., K.5.

6th row.—K.1, * K.2 tog., wl. fwd., K.1, wl. fwd., slip 1, K.1, p.s.s.o., K.1, repeat from * to last 8 sts., K.2 tog., wl. fwd., K.6.

8th row.—Cast off 4 sts., K.1, * wl. fwd., K.3 tog., wl. fwd., K.3, repeat from * to last 4 sts., K.1, wl. fwd., K.2 tog., K.1.

9th row.—K.4, purl to last st., K.1.

Continue in pattern (keeping border of 4 sts. in Garter Stitch), decreasing once at arm-hole edge in next, then every alternate row three times, whilst at same time making a button-hole as before, in every following 12th row three times (4 button-holes).

Shape for shoulder as follows:—

1st row.—Work in pattern to last 8 sts., turn.

2nd row.—Work in pattern to end of row.

3rd row.—Work in pattern to last 16 sts., turn.

4th row.—Like 2nd row. Cast off.

Join in wool at centre back, cast on 3 sts., and work to correspond with other side, omitting button-holes and working border and shapings at opposite ends of needle.

THE SLEEVES.—Using No. 12 Needles, cast on 44 stitches loosely.

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows seven times.

With right side of work facing, and using a fine spare needle, pick up 44 sts. along cast-on edge, place at back of needle in use.

17th row.—Knit plain, knitting together one st. from each needle to form a hem.

18th row.—K.1, * increase once in next st., purlways, repeat from * to last st., K.1 (86 sts.).

[Continued on page 19]

PATONS &
BALDWIN'S

"CHERYL"
See page 19

Cheryl

(ILLUSTRATED OPPOSITE)

MATERIALS:—

PATONS TOTEM Knitting Wool.

Quantity 1 lb.

"Parfrey" Knitting Needles—1 pair No. 7, measured on a Beehive Needle Gauge.

"Parfrey" Crochet Hook, No. 10.

MEASUREMENTS:—24 ins. x 36 ins.

ABBREVIATIONS:—See page 33.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 11 stitches to 2 inches in width. *Check tension—see page 33.*

Cast on 144 stitches.

** 1st row.—K.1, P.4, (K.2, P.4) twenty-three times, K.1.

2nd row.—K.5, (P.2, K.4) twenty-three times, K.1.

Repeat 1st and 2nd rows once.

5th row.—K.1, P.2, * slip next 2 sts. on to a spare needle and hold at back of work, K.1, purl 2 sts. from spare

needle (working of these 3 sts. will now be termed "Twist Back" throughout), slip next st. on to a spare needle and hold at front of work, P.2, knit st. from spare needle (working of these 3 sts. will now be termed "Twist Front" throughout), repeat from * to last 3 sts., P.2, K.1.

6th row.—K.3, P.1, (K.4, P.2) twenty-two times, K.4, P.1, K.3.

7th row.—K.1, P.2, K.1, (P.4, K.2) twenty-two times, P.4, K.1, P.2, K.1.

Repeat 6th and 7th rows once, then 6th row once.

11th row.—K.1, P.2, ("Twist Front," "Twist Back") twenty-three times, P.2, K.1.

12th row.—Like 2nd row. **

Repeat from ** to ** nineteen times, then from ** to 2nd row once. Cast off.

TO MAKE UP PRAM COVER.—With a slightly damp cloth and warm iron, press lightly. Using Crochet Hook, work 5 rows of d.c. round outer edge, working 3 d.c. into each corner st.

Sue (continued from page 8)

Join in wool at neck edge, and work on remaining sts. to correspond with other side.

THE BACK.—Work exactly as given for Front, until arm-hole shapings have been completed (59 sts.).

Continue without shaping until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work in pattern to last 8 sts., turn.

3rd and 4th rows.—Work in pattern to last 16 sts., turn.

5th row.—Work in pattern to end of row. Cast off.

THE SLEEVES.—Using No. 12 Needles, cast on 40 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row. Repeat 1st row nineteen times.

21st row.—K.7, * increase once in next st., K.1, repeat from * to last 7 sts., K.7 (53 sts.).

22nd row.—K.1, purl to last st., K.1.

Using No. 11 Needles, work as given from ** to ** for Front, seven times.

Cast off 3 sts. at beginning of each of next 2 rows.

Decrease once at each end of needle in next and every alternate row until 39 sts. remain, then in every row until 17 sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECK BAND.—Sew up right shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 76 stitches evenly round neck.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row eleven times. Cast off in rib.

TO MAKE UP JUMPER.—With a slightly damp cloth and warm iron, press lightly. Sew up side and sleeve seams. Sew up left shoulder seam for $\frac{1}{2}$ an inch. Sew in sleeves, placing seam to seam. Using Crochet Hook, work 1 row of d.c. along shoulder opening, making 3 button-hole loops on front edge. Sew on buttons to correspond with loops.

Patsy (continued from page 17)

Using No. 10 Needles, proceed as follows:—

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Continue in plain, smooth fabric until work measures $2\frac{1}{2}$ ins. from commencement.

Decrease once at each end of needle in every row until 46 sts. remain. Cast off.

Work another Sleeve in same manner.

THE COLLAR.—Using No. 12 Needles, cast on 36 stitches.

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows eight times.

Cast off.

Work another Piece in same manner.

TO MAKE UP FROCK.—With a slightly damp cloth and warm iron, press lightly. Sew up side, shoulder and sleeve seams. Sew in sleeves, placing seam to seam. Using Crochet Hook, work 1 row of d.c. round outer edge of collar pieces. Sew collar pieces in position. Sew underlap at back opening in position. Sew on buttons to correspond with button-holes.

Janet

(SET — ILLUSTRATED ON FRONT COVER)

THE CARRYING COAT

MATERIALS:—

PATONS BEEHIVE LADY BETTY, 3-ply.

"Patonised"—Shrink-Resist Finish.

Quantity 4 ozs.

"Parfrey" Knitting Needles — 1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.

"Parfrey" Crochet Hook, No. 13.

A Small Quantity each of Pink, Blue and Green Embroidery Silk.

Length of Ribbon.

Three Small Buttons.

MEASUREMENTS:—

Length from top of shoulder 17½ ins.

Width all round at under-arm 19 ins.

Length of sleeve from under-arm 6½ ins.

ABBREVIATIONS:—See page 33.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8½ stitches to the inch in width. *Check tension — see page 33.*

THE LEFT FRONT.—Using No. 10 Needles, cast on 77 stitches.

1st row.—Knit plain.

Repeat 1st row three times.

Proceed as follows:—

**** 1st row.**—K.1, * K.2, (K.2 tog., wl. fwd.) twice, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.2, repeat from * to last 4 sts., K.4.

2nd and alternate rows.—K.3, purl to last st., K.1.

3rd row.—K.1, * K.1, (K.2 tog., wl. fwd.) twice, K.2, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.1, repeat from * to last 4 sts., K.4.

5th row.—K.1, * (K.2 tog., wl. fwd.) twice, K.4, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, repeat from * to last 4 sts., K.4.

7th row.—K.1, * (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.4, (K.2 tog., wl. fwd.) twice, repeat from * to last 4 sts., K.4.

9th row.—K.1, * K.1, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.2, (K.2 tog., wl. fwd.) twice, K.1, repeat from * to last 4 sts., K.4.

11th row.—K.1, * K.2, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, (K.2 tog., wl. fwd.) twice, K.2, repeat from * to last 4 sts., K.4.

12th row.—Like 2nd row. **

Repeat from ** to ** once, then from ** to 6th row once.

Proceed as follows:—

1st row.—K.13, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.4, (K.2 tog., wl. fwd.) twice, K.24, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.4, (K.2 tog., wl. fwd.) twice, K.16.

2nd and alternate rows.—K.3, purl to last st., K.1.

3rd row.—K.14, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.2, (K.2 tog., wl. fwd.) twice, K.26, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.2, (K.2 tog., wl. fwd.) twice, K.17.

5th row.—K.15, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, (K.2 tog., wl. fwd.) twice, K.28, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, (K.2 tog., wl. fwd.) twice, K.18.

7th row.—K.15, (K.2 tog., wl. fwd.) twice, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.28, (K.2 tog., wl. fwd.) twice, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.18.

9th row.—K.14, (K.2 tog., wl. fwd.) twice, K.2, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.26, (K.2 tog., wl. fwd.) twice, K.2, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.17.

11th row.—K.13, (K.2 tog., wl. fwd.) twice, K.4, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.24, (K.2 tog., wl. fwd.) twice, K.4, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.16.

12th row.—Like 2nd row.

Repeat from 1st to 12th row five times, then from 1st to 8th row once.

Proceed as follows:—

1st row.—Knit plain.

2nd row.—K.3, purl to last st., K.1.

Repeat 1st and 2nd row ten times.

Using No. 12 Needles, proceed as follows:—

1st row.—* K.2 tog., repeat from * to last 3 sts., K.3 (40 sts.).

2nd row.—Knit plain.

Repeat 2nd row four times.

7th row.—K.1, * wl. fwd., K.2 tog., repeat from * to last 3 sts., K.3.

Repeat 2nd row five times.

Using No. 10 Needles.

13th row.—Knit plain.

14th row.—K.3, purl to last st., K.1.

Repeat 13th and 14th rows three times.

Cast off 3 sts. at beginning of next and following alternate row, then decrease once at beginning of following alternate row once (33 sts.).

Work 20 rows in plain, smooth fabric without shaping.

Cast off 10 sts. at beginning of next row, then 3 sts. at beginning of every alternate row twice (17 sts.).

Work 3 rows without shaping.

Shape for shoulder as follows:—

1st row.—Work to last 9 sts., turn.

2nd row.—Work to end of row. Cast off.

THE RIGHT FRONT.—Work to correspond with Left Front, working border and shapings at opposite ends of needle.

THE BACK.—Using No. 10 Needles, cast on 146 stitches.

1st row.—Knit plain.

Repeat 1st row three times.

Proceed as follows:—

**** 1st row.**—K.1, * K.2, (K.2 tog., wl. fwd.) twice, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.2, repeat from * to last st., K.1.

2nd and alternate rows.—K.1, purl to last st., K.1.

3rd row.—K.1, * K.1, (K.2 tog., wl. fwd.) twice, K.2, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.1, repeat from * to last st., K.1.

5th row.—K.1, * (K.2 tog., wl. fwd.) twice, K.4, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, repeat from * to last st., K.1.

7th row.—K.1, * (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.4, (K.2 tog., wl. fwd.) twice, repeat from * to last st., K.1.

9th row.—K.1, * K.1, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.2, (K.2 tog., wl. fwd.) twice, K.1, repeat from * to last st., K.1.

11th row.—K.1, * K.2, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, (K.2 tog., wl. fwd.) twice, K.2, repeat from * to last st., K.1.

12th row.—Like 2nd row. **

Repeat from ** to ** once, then from ** to 6th row once.

Proceed as follows:—

1st row.—K.13, * (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.4, (K.2 tog., wl. fwd.) twice, K.24, repeat from * to last 25 sts., (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.4, (K.2 tog., wl. fwd.) twice, K.13.

2nd and alternate rows.—K.1, purl to last st., K.1.

3rd row.—K.13, * K.1, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.2, (K.2 tog., wl. fwd.) twice, K.25, repeat from * to last 25 sts., K.1, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.2, (K.2 tog., wl. fwd.) twice, K.14.

5th row.—K.13, * K.2, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, (K.2 tog., wl. fwd.) twice, K.26, repeat from * to last 25 sts., K.2, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, (K.2 tog., wl. fwd.) twice, K.15.

7th row.—K.13, * K.2, (K.2 tog., wl. fwd.) twice, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.26, repeat from * to last 25 sts., K.2, (K.2 tog., wl. fwd.) twice, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.15.

9th row.—K.13, * K.1, (K.2 tog., wl. fwd.) twice, K.2, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.25, repeat from * to last 25 sts., K.1, (K.2 tog., wl. fwd.) twice, K.2, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.14.

11th row.—K.13, * (K.2 tog., wl. fwd.) twice, K.4, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.24, repeat from * to last 25 sts., (K.2 tog., wl. fwd.) twice, K.4, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.13.

12th row.—Like 2nd row.

Repeat from 1st to 12th row five times, then from 1st to 8th row once.

Proceed as follows:—

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows ten times.

Using No. 12 Needles, proceed as follows:—

1st row.—* K.2 tog., repeat from * to end of row (73 sts.).

2nd row.—Knit plain.

Repeat 2nd row four times.

7th row.—K.1, * wl. fwd., K.2 tog., repeat from * to last 2 sts., K.2.

Repeat 2nd row five times. ***

Using No. 10 Needles, proceed as follows:—

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows three times.*

Cast off 3 sts. at beginning of each of next 4 rows, then decrease once at each end of needle in next row (59 sts.). Continue without shaping until armholes measure same as Front armholes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work to last 9 sts., turn.

3rd and 4th rows.—Work to last 17 sts., turn.

5th row.—Work to end of row. Cast off.

THE SLEEVES.—Using No. 12 Needles, cast on 36 stitches.

1st row.—Knit plain.

Repeat 1st row six times.

8th row.—K.8, * increase once in next st., repeat from * to last 8 sts., K.8 (56 sts.).

Using No. 10 Needles, proceed as follows:—

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Continue in plain, smooth fabric, increasing once at each end of needle in 5th and every following 8th row until there are 68 sts. on needle.

Continue without shaping until work measures 6½ ins. from commencement, ending with a purl row.

Cast off 3 sts. at beginning of every row until 20 sts. remain.

In next row, K.2 tog., * K.2 tog., pass 1st st. on right-hand needle over 2nd st., repeat from * to end of row. Fasten off.

THE NECK BAND.—Sew up shoulder seams.

With right side of work facing and using No. 12 Needles, knit up 80 stitches evenly round neck.

1st row.—Knit plain.

Repeat 1st row three times. Cast off.

TO MAKE UP CARRYING COAT.—With a slightly damp cloth and warm iron, press lightly. Sew up side and sleeve seams. Sew in sleeves, placing seam to seam. Using Crochet Hook, work a picot edging all round outer edges of Coat, and lower edges of Sleeve, making 3 button-hole loops on yoke.

1st round.—1 d.c. into first st., * 4 ch., sl. st. into first ch., miss 2 sts., 1 d.c. into next st., repeat from * to end. Embroider with roses and leaves as illustrated. Thread ribbon through holes at waist. Sew on buttons to correspond with loops.

THE FROCK

MATERIALS:—

PATONS BEEHIVE LADY BETTY, 3-ply.

"Patonised"—Shrink-Resist Finish.

Quantity 3 ozs.

"Parfrey" Knitting Needles—1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.

"Parfrey" Crochet Hook, No. 13.

A Small Quantity each of Pink, Blue and Green Embroidery Silk.

Length of Ribbon.

Four Small Buttons.

MEASUREMENTS:—

Length from top of shoulder 17½ ins.

Width all round at under-arm 19 ins.

Length of sleeve from under-arm 2 ins.

ABBREVIATIONS:—See page 33.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce $8\frac{1}{2}$ stitches to the inch in width. *Check tension—see page 33.*

THE FRONT.—Work exactly as given for Back of Coat to ***.

Using No. 10 Needles, proceed as follows:—

1st row.—Knit plain to last 2 sts., increase once in next st., K.1 (74 sts.).

2nd, 4th, 6th, 8th and 10th rows.—K.1, purl to last st., K.1.

3rd row.—K.22, * (K.2 tog., wl. fwd.) twice, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.14, * repeat from * to * once, K.8.

5th row.—K.21, * (K.2 tog., wl. fwd.) twice, K.2, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.12, * repeat from * to * once, K.9.

7th row.—K.20, * (K.2 tog., wl. fwd.) twice, K.4, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.10, * repeat from * to * once, K.10.

9th row.—K.20, * (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.4, (K.2 tog., wl. fwd.) twice, K.10, * repeat from * to * once, K.10.

11th row.—Cast off 3 sts., K.18, * (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.2, (K.2 tog., wl. fwd.) twice, K.12, * repeat from * to * once, K.9.

12th row.—Cast off 3 sts., purl to last st., K.1.

13th row.—Cast off 3 sts., K.16, * (wl. fwd., slip 1, K.1, p.s.s.o.) twice, (K.2 tog., wl. fwd.) twice, K.14, * repeat from * to * once, K.5.

14th row.—Like 12th row.

15th row.—K.16, * (K.2 tog., wl. fwd.) twice, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.14, * repeat from * to * once, K.2.

16th and alternate rows.—Like 2nd row.

17th row.—K.15, * (K.2 tog., wl. fwd.) twice, K.2, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.12, * repeat from * to * once, K.3.

19th row.—K.14, * (K.2 tog., wl. fwd.) twice, K.4, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.10, * repeat from * to * once, K.4.

21st row.—K.14, * (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.4, (K.2 tog., wl. fwd.) twice, K.10, * repeat from * to * once, K.4.

23rd row.—K.15, * (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.2, (K.2 tog., wl. fwd.) twice, K.12, * repeat from * to * once, K.3.

25th row.—K.16, * (wl. fwd., slip 1, K.1, p.s.s.o.) twice, (K.2 tog., wl. fwd.) twice, K.14, * repeat from * to * once, K.2.

27th row.—K.16, * (K.2 tog., wl. fwd.) twice, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.14, * repeat from * to * once, K.2.

28th row.—Like 2nd row.

29th row.—Knit plain.

Repeat 28th and 29th rows three times, then 28th row once. ****

In next row, K.26, cast off 10 sts., K.26.

Cast off 5 sts. at beginning of 2nd row, then 4 sts. at beginning of following 2nd row.

Work 3 rows without shaping.

Shape for shoulder as follows:—

1st row.—Work to last 9 sts., turn.

2nd row.—Work to end of row. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK.—Work exactly as given for Front to ****.

Continue in plain, smooth fabric without shaping until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work to last 9 sts., turn.

3rd and 4th rows.—Work to last 17 sts., turn.

5th row.—Work to end of row. Cast off.

THE SLEEVES.—Using No. 12 Needles, cast on 40 stitches.

1st row.—Knit plain.

Repeat 1st row six times.

8th row.—K.9, * increase once in next st., repeat from * to last 10 sts., increase once in next st., K.9 (62 sts.).

Using No. 10 Needles, proceed as follows:—

1st row.—K.27, (K.2 tog., wl. fwd.) twice, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.27.

2nd and alternate rows.—K.1, purl to last st., K.1.

3rd row.—K.26, (K.2 tog., wl. fwd.) twice, K.2, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.26.

5th row.—K.25, (K.2 tog., wl. fwd.) twice, K.4, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.25.

7th row.—K.25, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.4, (K.2 tog., wl. fwd.) twice, K.25.

9th row.—K.26, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.2, (K.2 tog., wl. fwd.) twice, K.26.

11th row.—K.27, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, (K.2 tog., wl. fwd.) twice, K.27.

12th row.—Like 2nd row.

Keeping continuity of pattern, cast off 2 sts. at beginning of every row until 46 sts. remain, then decrease once at each end of needle in next and following alternate row once (42 sts.).

Work 1 row without shaping.

Continue in plain, smooth fabric, decreasing once at each end of needle in next and every alternate row until 30 sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECK BAND.—Sew up right shoulder seam.

With right side of work facing and using No. 12 Needles, knit up 76 stitches evenly round neck.

1st row.—Knit plain.

Repeat 1st row five times. Cast off.

TO MAKE UP FROCK.—With a slightly damp cloth and warm iron press lightly. Sew up side and sleeve seams. Sew up left shoulder seam for 1 in. Sew in sleeves, gathering extra fullness across top. Using Crochet Hook, work a picot edging round lower edge of Frock, sleeves and neck, making 2 button-hole loops on front shoulder as follows:—

1st round.—1 d.c. into first st., * 4 ch., sl. st. into first ch., miss 2 sts., 1 d.c. into next st., repeat from * to end. Embroider with roses and leaves as illustrated. Thread ribbon through holes at waist. Sew on buttons to correspond with loops.

THE BONNET

MATERIALS:—

PATONS BEEHIVE LADY BETTY, 3-ply.
"Patonised"—Shrink-Resist Finish.

Quantity 1 oz.

"Parfrey" Knitting Needles—1 pair No. 11, measured on a Beehive Needle Gauge.

"Parfrey" Crochet Hook No. 13.

A Small Quantity each of Pink, Blue and Green Embroidery Silk.

Length of Ribbon.

MEASUREMENT:—

Width all round face 11 ins.

ABBREVIATIONS:—See page 33.

TENSION:—To get this measurement it is absolutely necessary to work at a tension to produce $8\frac{1}{2}$ stitches to the inch in width. *Check tension—see page 33.*

Cast on 86 stitches.

1st row.—Knit plain.

Repeat 1st row three times.

Work as given from ** to ** for back of Coat, once.

Proceed as follows:—

** 1st row.—K.15, * (K.2 tog., wl. fwd.) twice, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.16, repeat from * to last 23 sts., (K.2 tog., wl. fwd.) twice, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.15.

2nd and alternate rows.—K.1, purl to last st., K.1.

3rd row.—K.14, * (K.2 tog., wl. fwd.) twice, K.2, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.14, repeat from * to end of row.

5th row.—K.13, * (K.2 tog., wl. fwd.) twice, K.4, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.12, repeat from * to last st., K.1.

7th row.—K.13, * (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.4, (K.2 tog., wl. fwd.) twice, K.12, repeat from * to last st., K.1.

9th row.—K.14, * (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.2, (K.2 tog., wl. fwd.) twice, K.14, repeat from * to end of row.

11th row.—K.15, * (wl. fwd., slip 1, K.1, p.s.s.o.) twice, (K.2 tog., wl. fwd.) twice, K.16, repeat from * to last 23 sts., (wl. fwd., slip 1, K.1, p.s.s.o.) twice, (K.2 tog., wl. fwd.) twice, K.15.

12th row.—Like 2nd row. **

Repeat from ** to ** once, then from ** to 2nd row once.

27th row.—Knit plain.

28th row.—K.1, purl to last st., K.1.

Repeat 27th and 28th rows three times, then 1st row four times.

Proceed as follows:—

1st row.—* K.10, K.2 tog., repeat from * to last 2 sts., K.2.

2nd and alternate rows.—Knit plain.

3rd row.—* K.9, K.2 tog., repeat from * to last 2 sts., K.2.

5th row.—* K.8, K.2 tog., repeat from * to last 2 sts., K.2.

Continue decreasing in this manner in every alternate row until 23 sts. remain.

In next row, knit plain.

In following row, * K.2 tog., repeat from * to last st., K.1.

Break off wool, run end through remaining sts., draw up and fasten off securely.

TO MAKE UP BONNET.—With a slightly damp cloth and warm iron, press lightly. Sew up back seam for $2\frac{1}{2}$ ins. Using Crochet Hook, work a picot edging round edge of Bonnet as follows:—1 d.c. into first st., * 4 ch., sl. st. into first ch., miss 2 sts., 1 d.c. into next st., repeat from * to end. Make rosettes with ribbon and sew in position. Embroider with roses and leaves as illustrated.

THE BOOTEES

MATERIALS:—

PATONS BEEHIVE LADY BETTY, 3-ply.
"Patonised"—Shrink-Resist Finish.

Quantity 1 oz.

"Parfrey" Knitting Needles—1 pair No. 10, measured on a Beehive Needle Gauge.

A Small Quantity each of Pink, Blue and Green Embroidery Silk.

Length of Ribbon.

ABBREVIATIONS:—See page 33.

TENSION:—It is absolutely necessary to work at a tension to produce $8\frac{1}{2}$ stitches to the inch in width. *Check tension—see page 33.*

Cast on 43 stitches.

1st and alternate rows.—Knit plain.

2nd row.—* K.1, increase once in next st., K.18, increase once in next st., repeat from * to last st., K.1.

4th row.—* K.1, increase once in next st., K.20, increase once in next st., repeat from * to last st., K.1.

6th row.—* K.1, increase once in next st., K.22, increase once in next st., repeat from * to last st., K.1.

Continue in this manner, until 6 increasing rows have been worked from commencement.

Work 10 rows in Garter Stitch.

Proceed as follows:—

1st row.—K.39, K.2 tog., turn.

2nd row.—Slip 1, P.11, K.2 tog., turn.

3rd row.—Slip 1, K.11, K.2 tog., turn.

Repeat 2nd and 3rd rows until 47 sts. remain.

In next row, purl to last st., K.1.

Proceed as follows:—

1st row.—K.1, * wl. fwd., K.2 tog., repeat from * to end of row.

2nd row.—K.1, purl to last st., K.1.

3rd row.—Knit plain.

4th row.—K.2 tog., purl to last st., K.1 (46 sts.).

5th row.—K.5, * K.2, (K.2 tog., wl. fwd.) twice, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.2, repeat from * to last 5 sts., K.5.

6th and alternate rows.—K.1, purl to last st., K.1.

7th row.—K.5, * K.1, (K.2 tog., wl. fwd.) twice, K.2, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.1, repeat from * to last 5 sts., K.5.

9th row.—K.5, * (K.2 tog., wl. fwd.) twice, K.4, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, repeat from * to last 5 sts., K.5.

11th row.—K.5, * (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.4, (K.2 tog., wl. fwd.) twice, repeat from * to last 5 sts., K.5.

13th row.—K.5, * K.1, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, K.2, (K.2 tog., wl. fwd.) twice, K.1, repeat from * to last 5 sts., K.5.

15th row.—K.5, * K.2, (wl. fwd., slip 1, K.1, p.s.s.o.) twice, (K.2 tog., wl. fwd.) twice, K.2, repeat from * to last 5 sts., K.5.

17th row.—Like 5th row.

18th row.—Like 6th row.

19th row.—* K.2, P.2, repeat from * to last 2 sts., K.2.

20th row.—K.1, P.1, * K.2, P.2, repeat from * to last 2 sts., P.1, K.1.

Repeat 19th and 20th rows three times.

Cast off in rib.

Work another Bootee in same manner.

TO MAKE UP BOOTEES.—With a slightly damp cloth and warm iron, press lightly. Sew up foot and leg seams. Thread ribbon through holes at ankle. Embroider with roses and leaves as illustrated.

Anne (continued from page 3)

4th row.—K.10, P.14, [(P.1, K.2) twice, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row] twice, P.42, K.1. ***

Repeat from *** to *** nine times.

Proceed as follows:—

1st row.—Knit plain.

2nd row.—K.10, purl to last st., K.1.

Repeat 1st and 2nd rows seventeen times.

Using No. 12 Needles, proceed as follows:—

1st row.—K.1, (K.2 tog.) thirty times, (K.3 tog.) eight times, K.10 (49 sts.).

2nd row.—Knit plain.

Repeat 2nd row six times.

Using No. 10 Needles, proceed as follows:—

1st row.—K.11, [(K.2, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice] twice, K.10.

2nd row.—K.10, [(K.1, P.1] into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice] twice, P.10, K.1.

3rd row.—K.11, [(wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.2] twice, K.10.

4th row.—K.10, [(P.1, K.2) twice, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row] twice, P.10, K.1.

Repeat from 1st to 4th row once.

Keeping continuity of pattern, cast off 5 sts. at beginning of next row, then decrease once at beginning of needle in every alternate row four times (40 sts.).

Work 23 rows without shaping.

Proceed as follows:—

1st row.—Knit plain.

2nd row.—K.10, purl to last st., K.1.

Repeat 1st row once.

Cast off 15 sts. at beginning of next row, then decrease once at neck edge in every row five times (20 sts.).

Work 2 rows without shaping.

Shape for shoulder as follows:—

1st row.—Work to last 10 sts., turn.

2nd row.—Work to end of row. Cast off.

THE RIGHT FRONT.—Work to correspond with Left Front, working border and shapings at opposite ends of needle, and making a button-hole in 127th row from commencement, then every following 12th row four times (5 button-holes).

To make a button-hole.—K.4, K.2 tog., wl. fwd., work to end of row.

THE BACK.—Using No. 10 Needles, cast on 184 stitches.

1st row.—Knit plain.

Repeat 1st row three times.

Proceed as follows:—

**** 1st row.**—K.1, * K.2, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, repeat from * to last st., K.1.

2nd row.—K.1, * (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, repeat from * to last st., K.1.

3rd row.—K.1, * (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.2, repeat from * to last st., K.1.

4th row.—K.1, * (P.1, K.2) twice, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, repeat from * to last st., K.1. **

Repeat from ** to ** ten times.

Proceed as follows:—

***** 1st row.**—K.43, * K.2, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, * repeat from * to * once, K.42, repeat from * to * twice, K.43.

2nd row.—K.1, P.42, * (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, * repeat from * to * once, P.42, repeat from * to * twice, P.42, K.1.

3rd row.—K.43, * (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.2, * repeat from * to * once, K.42, repeat from * to * twice, K.43.

4th row.—K.1, P.42, * (P.1, K.2) twice, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, * repeat from * to * once, P.42, repeat from * to * twice, P.42, K.1. ***

Repeat from *** to *** nine times.

Proceed as follows:—

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows seventeen times.

Using No. 12 Needles, proceed as follows:—

1st row.—(K.2 tog.) twenty-five times, (K.3 tog.) twenty-eight times, (K.2 tog.) twenty-five times (78 sts.).

2nd row.—Knit plain.

Repeat 2nd row six times.

Using No. 10 Needles, proceed as follows:—

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows three times.

Cast off 5 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row, until 60 sts. remain.

Continue in plain, smooth fabric without shaping, until arm-holes measure same as Front arm-holes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work to last 10 sts., turn.

3rd and 4th rows.—Work to last 20 sts., turn.

5th row.—Work to end of row. Cast off.

THE SLEEVES.—Using No. 12 Needles, cast on 44 stitches.

1st row.—Knit plain.

Repeat 1st row thirteen times.

Using No. 10 Needles, work as given from * to * for back of Skirt, twice.

*** **1st row.**—K.17, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, K.15.

2nd row.—K.1, P.14, (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, P.14, K.1.

3rd row.—K.15, (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.17.

4th row.—K.1, P.15, (K.2, P.1) twice, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, P.14, K.1. ***

Repeat from *** to *** once.

Continue in plain, smooth fabric, increasing once at each end of needle in next and every following 6th row, until there are 60 sts. on needle.

Work 3 rows without shaping.

Decrease once at each end of needle in every row, until 20 sts. remain. Cast off.

Work another Sleeve in same manner.

THE NECK-BAND.—Sew up shoulder seams.

With right side of work facing, and using No. 12 Needles, knit up 76 stitches evenly round neck.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row once. Cast off in rib.

TO MAKE UP CARRYING COAT.—With a slightly damp cloth and warm iron, press lightly. Sew up side and sleeve seams. Sew in sleeves, placing seam to seam. Sew on buttons to correspond with button-holes.

THE FROCK

MATERIALS:—

PATONS BEEHIVE BABY Wool.

"Patonised"—Shrink-Resist Finish.

Quantity 4 ozs.

"Parfrey" Knitting Needles—1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.

Three Buttons.

MEASUREMENTS:—

Length from top of shoulder 17½ ins.

Width all round at under-arm 18 ins.

Length of sleeve from under-arm 3 ins.

ABBREVIATIONS:—See page 33.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. *Check tension—see page 33.*

THE FRONT.—Using No. 10 Needles, cast on 156 stitches.

1st row.—Knit plain.

Repeat 1st row three times.

Work as given from * to * for back of Coat, ten times.

*** **1st row.**—K.29, * K.2, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, * repeat from * to * once, K.42, repeat from * to * twice, K.29.

2nd row.—K.1, P.28, * (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, * repeat from * to * once, P.42, repeat from * to * twice, P.28, K.1.

3rd row.—K.29, * (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.2, * repeat from * to * once, K.42, repeat from * to * twice, K.29.

4th row.—K.1, P.28, * (P.1, K.2) twice, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, * repeat from * to * once, P.42, repeat from * to * twice, P.28, K.1. ***

Repeat from *** to *** eight times.

Proceed as follows:—

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows seventeen times.

Using No. 12 Needles, proceed as follows:—

1st row.—K.1, (K.2 tog.) thirty-four times, (K.3 tog.) six times, (K.2 tog.) thirty-four times, K.1 (76 sts.).

2nd row.—Knit plain.

Repeat 2nd row ten times. ****

Using No. 10 Needles, proceed as follows:—

1st row.—K.10, * K.2, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, repeat from * to last 10 sts., K.10.

2nd row.—K.1, P.9, * (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, repeat from * to last 10 sts., P.9, K.1.

3rd row.—K.10, * (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.2, repeat from * to last 10 sts., K.10.

4th row.—K.1, P.9, * (P.1, K.2) twice, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, repeat from * to last 10 sts., P.9, K.1.

Repeat from 1st to 4th row once.

Keeping continuity of pattern, cast off 4 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row three times (60 sts.).

Work 15 rows without shaping.

In next row, K.22, cast off 16 sts., K.22.

Continue in plain, smooth fabric, decreasing once at neck edge in every row, until 18 sts. remain.

Work 5 rows without shaping.

Shape for shoulder as follows:—

1st row.—Work to last 9 sts., turn.

2nd row.—Work to end of row. Cast off.

Join in wool at neck edge, and work on remaining sts. to correspond with other side.

THE BACK.—Work exactly as given for Front to ****.

Using No. 10 Needles, proceed as follows:—

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows three times.

9th row.—Cast off 4 sts., K.36, turn.

10th row.—K.2, purl to last st., K.1.

Continue in plain, smooth fabric, decreasing once at beginning of needle in next and every alternate row three times (32 sts.).

Work 1 row without shaping.

In next row, knit plain to last 4 sts., wl. fwd., K.2 tog., K.2.

Continue in plain, smooth fabric (keeping border of 2 sts. in Garter Stitch), making a button-hole in every following 12th row, twice.

Shape for shoulder as follows:—

1st row.—Work to last 9 sts., turn.

2nd row.—Work to end of row.

3rd row.—Work to last 18 sts., turn.

4th row.—Like 2nd row. Cast off.

Join in wool at centre back, cast on 4 sts., and work to correspond with other side, omitting button-holes.

THE SLEEVES.—Using No. 12 Needles, cast on 44 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row eleven times.

Using No. 10 Needles, proceed as follows:—

1st row.—K.1, * increase once in next st., repeat from * to last st., K.1 (86 sts.).

2nd row.—K.1, purl to last st., K.1.

Work as given from ** to ** for Back of Coat, four times.

Keeping continuity of pattern, decrease once at each end of needle in every row, until 54 sts. remain.

In next row, * K.1, K.2 tog., repeat from * to end of row.

In following row, K.1, purl to last st., K.1. Cast off.

Work another Sleeve in same manner.

THE COLLAR.—Using No. 10 Needles, cast on 50 stitches.

1st row.—Knit plain.

Repeat 1st row three times. Proceed as follows:—

1st row.—K.4, * K.2, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, repeat from * to last 4 sts., K.4.

2nd row.—K.4, * (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, repeat from * to last 4 sts., K.4.

3rd row.—K.4, * (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.2, repeat from * to last 4 sts., K.4.

4th row.—K.4, * (P.1, K.2) twice, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, repeat from * to last 4 sts., K.4.

Repeat from 1st to 4th row once.

Using No. 12 Needles, proceed as follows:—

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row three times. Cast off in rib.

Work another Piece in same manner.

TO MAKE UP FROCK.—With a slightly damp cloth and warm iron, press lightly. Sew up side, shoulder and sleeve seams. Sew in sleeves, placing seam to seam. Sew collar in position. Sew on buttons to correspond with button-holes.

THE MITTENS

MATERIALS:—

PATONS BEEHIVE BABY Wool.

"Patonised"—Shrink-Resist Finish.

Quantity 1 oz.

"Parfrey" Knitting Needles—1 set of four No. 13, measured on a Beehive Needle Gauge.

Length of Ribbon.

ABBREVIATIONS:—See page 33.

TENSION:—It is absolutely necessary to work at a tension to produce $9\frac{1}{2}$ stitches to the inch in width. *Check tension — see page 33.*

Using two Needles, cast on 44 stitches.

1st row.—Knit plain.

Repeat 1st row nine times.

Work as given from ** to ** for back of Coat, twice.

In next row, (K.10, increase once in next st.) four times (48 sts.).

Work 6 rows in Garter Stitch.

Using four Needles, proceed as follows:—

Work 16 sts. on to each of three needles.

1st round.—* K.1, P.1, repeat from * to end of round.

Repeat 1st round three times.

5th round.—K.1, * wl. fwd., K.2 tog., P.1, K.1, repeat from * to last 3 sts., wl. fwd., K.2 tog., P.1.

Repeat 1st round four times.

10th round.—Knit plain.

Repeat 10th round thirteen times.

In next round, knit first 12 sts. of round, and place on a thread, increase twice in next st., knit plain to last st., increase twice in last st.

Work 20 rounds in plain, smooth fabric.

In next round, * K.2 tog., repeat from * to end of round.

Work 2 rounds without shaping.

In next round, * K.2 tog., repeat from * to end of round.

Work 1 round.

Break off wool, run end through remaining sts., draw up and fasten off securely.

THE THUMB.—Knit up 4 sts. at base of thumb, and 12 sts. from thread.

Divide these sts. on to three needles, and work 12 rounds in plain, smooth fabric.

In next round, * K.2 tog., repeat from * to end of round.

Work 1 round.

In next round, * K.2 tog., repeat from * to end of round.

Break off wool, run end through remaining sts., draw up and fasten off securely.

Work another Mitten in same manner, working thumb at end of third needle instead of beginning of first needle.

TO MAKE UP MITTENS.—With a slightly damp cloth and warm iron, press lightly. Sew up seams. Thread ribbon through holes at wrist.

THE BONNET**MATERIALS:—**

PATONS BEEHIVE BABY Wool.
"Patonised"—Shrink-Resist Finish.

Quantity 1 oz.
 "Parfrey" Knitting Needles—1 pair each Nos. 10
 and 12, measured on a Beehive Needle Gauge.
 Length of Ribbon.

MEASUREMENT:—

Width all round face 11 ins.

ABBREVIATIONS:—See page 33.

TENSION:—To get this measurement it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. *Check tension—see page 33.*

Using No. 12 Needles, cast on 86 stitches.

1st row.—Knit plain.

Repeat 1st row fifteen times.

Using No. 10 Needles, proceed as follows:—

Work as given from ** to ** for back of Coat, four times.

Proceed as follows:—

*** **1st row.—**K.15, K.2, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, K.30, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, K.15.

2nd row.—K.1, P.14, (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, P.28, (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, P.14, K.1.

3rd row.—K.15, (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.30, (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.17.

4th row.—K.1, P.15, (K.2, P.1) twice, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, P.28, (P.1, K.2) twice, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, P.14, K.1. ***

Repeat from *** to *** twice.

Proceed as follows:—

1st row.—Knit plain.

2nd and alternate rows.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows three times.

9th row.—K.2 tog., knit plain to last 2 sts., K.2 tog.

11th row.—* K.10, K.2 tog., repeat from * to end of row.

13th row.—* K.9, K.2 tog., repeat from * to end of row.

15th row.—* K.8, K.2 tog., repeat from * to end of row. Continue decreasing in this manner until 14 sts. remain.

In next row, K.1, purl to last st., K.1.

In following row, (K.2 tog.) seven times.

Break off wool, run end through remaining sts., draw up and fasten off securely.

TO MAKE UP BONNET.—With a slightly damp cloth and warm iron, press lightly. Sew up back seam for 2½ ins. With right side of work facing, and using No. 10 Needles, knit up 80 stitches evenly along lower edge of Bonnet.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

2nd row.—K.2, * wl. fwd., K.2 tog., repeat from * to last 2 sts., P.1, K.1.

Repeat 1st row twice. Cast off in rib.

Thread ribbon through holes at lower edge.

THE BOOTEES**MATERIALS:—**

PATONS BEEHIVE BABY Wool.
"Patonised"—Shrink-Resist Finish.

Quantity 1 oz.
 "Parfrey" Knitting Needles—1 pair No. 13, measured
 on a Beehive Needle Gauge.
 Length of Ribbon.

MEASUREMENT:—

Length of foot 3½ ins.

ABBREVIATIONS:—See page 33.

TENSION:—To get this measurement it is absolutely necessary to work at a tension to produce 9½ stitches to the inch in width. *Check tension—see page 33.*

Cast on 45 stitches.

1st row.—(K.1, increase once in next st., K.19, increase once in next st.) twice, K.1.

2nd and alternate rows.—Knit plain.

3rd row.—(K.1, increase once in next st., K.21, increase once in next st.) twice, K.1.

5th row.—(K.1, increase once in next st., K.23, increase once in next st.) twice, K.1.

Continue in this manner, until 6 increasing rows have been worked from commencement (69 sts.).

Work 10 rows in Garter Stitch.

Proceed as follows:—

1st row.—K.29, P.11, P.2 tog., turn.

2nd row.—K.12, K.2 tog., turn.

3rd row.—P.12, P.2 tog., turn.

Repeat 2nd and 3rd rows eleven times (43 sts.).

26th row.—K.12, K.2 tog., knit plain to end of row.

Proceed as follows:—

1st row.—K.1, * wl. fwd., K.2 tog., repeat from * to end of row.

2nd row.—Knit plain.

3rd row.—Knit plain to last 2 sts., increase once in next st., K.1.

Repeat from ** to **, as given for Back of Coat, three times.

Proceed as follows:—

1st row.—Knit plain.

Repeat 1st row eleven times. Cast off.

Work another Bootie in same manner.

TO MAKE UP BOOTEES.—With a slightly damp cloth and warm iron, press lightly. Sew up foot and leg seams. Thread ribbon through holes at ankle.

THE PETTICOAT**MATERIALS:—**

PATONS BEEHIVE BABY Wool.
"Patonised"—Shrink-Resist Finish.

Quantity 3 ozs.
 "Parfrey" Knitting Needles—1 pair each Nos. 10 and
 12, measured on a Beehive Needle Gauge.
 "Parfrey" Crochet Hook No. 12
 Two Buttons.

MEASUREMENTS:—

Length from top of shoulder 15½ ins.
 Width all round at under-arm 18 ins.

ABBREVIATIONS:—See page 33.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. *Check tension — see page 33.*

THE FRONT.—Using No. 10 Needles, cast on 128 stitches.

1st row.—Knit plain.

Repeat 1st row three times.

Work as given from ** to ** for Back of Coat, four times.

*** 1st row.—K.31, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, K.44, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, K.29.

2nd row.—K.1, P.28, (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, P.42, (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, P.28, K.1.

3rd row.—K.29, (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.44, (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.31.

4th row.—K.1, P.28, (P.1, K.2) twice, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, P.43, (K.2, P.1) twice, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, P.28, K.1. ***

Repeat from *** to *** twice.

Proceed as follows:—

1st row.—Knit plain.

2nd row.—K.1, purl to last st., K.1.

Repeat 1st and 2nd rows five times.

13th row.—K.10, K.2 tog., (K.19, K.2 tog.) five times, K.11.

Work 13 rows without shaping, also after 27th and 41st row.

27th row.—K.10, K.2 tog., (K.18, K.2 tog.) five times, K.10.

41st row.—K.9, K.2 tog., (K.17, K.2 tog.) five times, K.10.

55th row.—K.9, K.2 tog., (K.16, K.2 tog.) five times, K.9.

Work 15 rows without shaping.

Using No. 12 Needles, proceed as follows:—

1st row.—K.20, (K.2 tog.) thirty-two times, K.20 (72 stitches).

2nd row.—Knit plain.

Repeat 2nd row six times.

Using No. 10 Needles, proceed as follows:—

1st row.—K.8, * K.2, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, repeat from * to last 8 sts., K.8.

2nd row.—K.1, P.7, * (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, repeat from * to last 8 sts., P.7, K.1.

3rd row.—K.8, * (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.2, repeat from * to last 8 sts., K.8.

4th row.—K.1, P.7, * (P.1, K.2) twice, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, repeat from * to last 8 sts., P.7, K.1.

Repeat from 1st to 4th row once. Proceed as follows:—

1st row.—Cast off 3 sts., knit plain to end of row.

2nd row.—Cast off 3 sts., purl to last st., K.1.

3rd row.—K.2 tog., knit plain to last 2 sts., K.2 tog.

4th row.—K.6, purl to last 6 sts., K.6.

5th row.—Like 3rd row.

6th row.—K.5, purl to last 5 sts., K.5.

7th row.—Like 3rd row.

8th row.—K.4, purl to last 4 sts., K.4.

9th row.—Knit plain.

Repeat 8th and 9th rows five times, then 8th row once.

In next row, K.21, cast off 18 sts., K.21.

Continue on last 21 sts. (keeping border of 4 sts. in Garter Stitch at arm-hole edge), decreasing once at beginning of needle in every alternate row, until 16 sts. remain.

Work 5 rows without shaping. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK.—Work exactly as given for Front.

THE NECK-BAND.—Sew up right shoulder seam.

With right side of work facing, and using No. 12 Needles, knit up 96 stitches evenly round neck.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row three times. Cast off in rib.

TO MAKE UP PETTICOAT.—With a slightly damp cloth and warm iron, press lightly. Sew up left shoulder seam for $\frac{1}{2}$ inch. Sew up side seams. Using Crochet Hook, work 1 row of d.c. along left shoulder opening, making two button-hole loops on front shoulder. Sew on buttons to correspond with loops.

THE VEST

MATERIALS:—

PATONS BEEHIVE BABY Wool.

"Patonised"—Shrink-Resist Finish.

Quantity 1 oz.

"Parfrey" Knitting Needles — 1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.

Length of Ribbon.

MEASUREMENTS:—

Length from top of shoulder 11 ins.

Width all round at under-arm 16 ins.

ABBREVIATIONS:—See page 33.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. *Check tension — see page 33.*

THE FRONT.—Using No. 10 Needles, cast on 72 stitches.

1st row.—Knit plain.

Repeat 1st row nineteen times.

Proceed as follows:—

Work as given from ** to ** for back of Coat three times.

Proceed as follows:—

*** 1st row.—K.15, * K.2, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, K.14, repeat from * to last st., K.1.

2nd row.—K.1, P.14, * (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, P.14, repeat from * to last st., K.1.

3rd row.—K.15, * (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.16, repeat from * to last st., K.1.

4th row.—K.1, P.14, * (P.1, K.2) twice, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row. P.14, repeat from * to last st., K.1.***

Repeat from *** to *** ten times.

Proceed as follows:—

1st row.—Cast off 3 sts., knit plain to end of row.

2nd row.—Cast off 3 sts., purl to last st., K.1.

3rd row.—K.2 tog., knit plain to last 2 sts., K.2 tog.

4th row.—K.6, purl to last 6 sts., K.6.

5th row.—Like 3rd row.

6th row.—K.5, purl to last 5 sts., K.5.

7th row.—Like 3rd row.

8th row.—K.4, purl to last 4 sts., K.4.

9th row.—Knit plain.

Repeat 8th and 9th rows four times, then 8th row once.

In next row, K.20, cast off 20 sts., K.20.

Continue on last 20 sts., keeping border of 4 sts. in Garter Stitch, and decreasing once at beginning of needle in every alternate row until 14 sts. remain.

Work 5 rows without shaping. Cast off.

Join in wool at neck edge and work on remaining sts. to correspond with other side.

THE BACK.—Work exactly as given for Front.

THE NECK BAND.—Sew up right shoulder seam. With right side of work facing, and using No. 12 Needles, knit up 104 stitches evenly round neck.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row twice.

4th row.—K.2, * wl. fwd., K.2 tog., repeat from * to last 2 sts., P.1, K.1.

Repeat 1st row once. Cast off in rib.

TO MAKE UP VEST.—With a slightly damp cloth and warm iron press lightly. Sew up side and left shoulder seam. Thread ribbon through holes at neck.

THE PILCH KNICKERS

MATERIALS:—

PATONS BEEHIVE BABY Wool.

"Patonised"—Shrink-Resist Finish.

Quantity 1 oz.

"Parfrey" Knitting Needles—1 pair each Nos. 10 and 12, measured on a Beehive Needle Gauge.

A Stitch Holder.

Length of Ribbon.

MEASUREMENT:—

Length at centre front 8½ ins.

ABBREVIATIONS:—See page 33.

TENSION:—To get this measurement it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. *Check tension—see page 33.*

THE BACK.—Using No. 10 Needles, cast on 72 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row five times.

7th row.—K.2, * wl. fwd., K.2 tog., repeat from * to end of row.

8th row.—Like 1st row.

9th row.—Work 44 sts. in ribbed pattern, turn.

10th row.—Work 16 sts. in ribbed pattern, turn.

11th row.—Work 24 sts. in ribbed pattern, turn.

12th row.—Work 32 sts. in ribbed pattern, turn.

13th row.—Work 40 sts. in ribbed pattern, turn.

14th row.—Work 48 sts. in ribbed pattern, turn.

15th row.—Work in ribbed pattern to end of row.

16th row.—Like 15th row.

Repeat 1st row four times.

Work as given from ** to ** for back of Coat three times.

Work as given from *** to *** for Vest ten times.

Proceed as follows:—

1st and 2nd rows.—Knit plain.

Continue in Garter Stitch, decreasing once at each end of needle in next and every alternate row until 44 sts. remain.

Leave these sts. on a stitch holder.

THE FRONT.—Work exactly as given for Back, omitting shapings in waist band.

Graft stitches. See page 34.

THE LEG BANDS.—With right side of work facing and using No. 12 Needles, knit up 70 stitches evenly round leg.

1st row.—K.2, * P.1, K.1, repeat from * to end of row.

Repeat 1st row five times. Cast off in rib.

Work other Leg Band in same manner.

TO MAKE UP PILCH KNICKERS.—With a slightly damp cloth and warm iron, press lightly. Sew up side seams. Thread ribbon through holes at waist.

THE SHAWL

MATERIALS:—

PATONS BEEHIVE BABY Wool.

"Patonised"—Shrink-Resist Finish.

Quantity 1 lb. 2 ozs.

"Parfrey" Knitting Needles—1 pair No. 9, measured on a Beehive Needle Gauge.

MEASUREMENTS:—54 ins. x 54 ins.

ABBREVIATIONS:—See page 33.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 7½ stitches to the inch in width. *Check tension—see page 33.*

THE CENTRE.—Cast on 212 stitches.

1st row.—Knit plain.

Repeat 1st row two hundred and eighty-one times.

Cast off.

THE BORDER.—Cast on 338 stitches.

1st row.—Knit plain.

Repeat 1st row three times. Proceed as follows:—

1st row.—K.1, * K.2, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, repeat from * to last st., K.1.

2nd row.—K.1, * (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, repeat from * to last st., K.1.

3rd row.—K.1, * (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.2, repeat from * to last st., K.1.

4th row.—K.1, * (P.1, K.2) twice, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, repeat from * to last st., K.1.

**** 5th row.**—K.2 tog., K.1, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, * K.2, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, repeat from * to last 15 sts., K.2, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, wl. fwd., K.1.

6th row.—K.2, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, * (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, repeat from * to last 15 sts., (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, K.2, P.1, K.3.

7th row.—(K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.2, * (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.2, repeat from * to last 14 sts., (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.2 tog.

8th row.—K.2, P.1, K.2, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, * (P.1, K.2) twice, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, repeat from * to last 13 sts., (P.1, K.2) twice, P.1, K.2 tog., P.1, K.2, wl. fwd., K.1.

9th row.—K.2, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, * K.2, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, repeat from * to last 13 sts., K.2, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., P.2, K.1, P.1, K.1.

10th row.—K.2, P.2, K.1, P.1, (K.2, P.1) twice, * (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, repeat from * to last 13 sts., (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, K.2, P.1, K.1.

11th row.—K.2, P.2, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.2, * (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.2, repeat from * to last 12 sts., (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1.

12th row.—K.3, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, * (P.1, K.2) twice, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, repeat from * to last 11 sts., (P.1, K.2) twice, P.1, K.2, P.1, K.1.

13th row.—K.2 tog., P.2, K.1, (P.2, K.1) twice, (wl. fwd.) twice, * K.2, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, repeat from * to last 11 sts., K.2, wl. fwd., K.1, P.2, K.1, P.1, K.4.

14th row.—K.2 tog., (K.1, P.1) twice, (K.2, P.1) twice, * (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, repeat from * to last 12 sts., (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, K.3.

15th row.—(K.2 tog.) twice, P.1, K.1, P.2, K.1, wl. fwd., K.2, * (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.2, repeat from * to last 11 sts., (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., K.2 tog.

16th row.—K.1, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, * (P.1, K.2) twice, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, repeat from * to last 10 sts., (P.1, K.2) twice, P.1, K.2 tog., K.1.

17th row.—Slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, * K.2, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, repeat from * to last 9 sts., K.2, wl. fwd., K.1, P.2, slip 1, p.s.s.o., K.2.

18th row.—K.2, P.1, (K.2, P.1) twice, * (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, repeat from * to last 9 sts., (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.2.

19th row.—K.2 tog., slip 1, K.1, p.s.s.o., P.1, K.1, wl. fwd., K.2, * (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.2, repeat from * to last 9 sts., (wl. fwd.) twice, K.1, P.2, K.1, P.2 tog., slip 1, K.2 tog., p.s.s.o.

20th row.—K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, * (P.1, K.2) twice, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, repeat from * to last 7 sts., (P.1, K.2) twice, K.1.

21st row.—K.2 tog., P.1, K.1, P.2, K.1, (wl. fwd.) twice, * K.2, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, repeat from * to last 7 sts., K.3, P.2, K.2 tog.

22nd row.—K.3, P.1, K.2, * (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, repeat from * to last 8 sts., (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1.

23rd row.—K.2 tog., P.2, K.3, * (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.2, repeat from * to last 6 sts., w.r.n., P.2, K.1, P.1, K.2 tog.

24th row.—K.2 tog., P.1, K.3, * (P.1, K.2) twice, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, repeat from * to last 6 sts., K.2, P.1, K.1, K.2 tog.

25th row.—K.2 tog., K.1, P.2, * K.2, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, repeat from * to last 5 sts., K.1, P.2, K.2 tog.

26th row.—K.3, P.1, * (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, repeat from * to last 4 sts., K.2, P.1, K.1.

27th row.—K.2 tog., P.2, * (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.2, repeat from * to last 4 sts., K.1, P.1, K.2 tog.

28th row.—K.2, P.1, * (P.1, K.2) twice, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, repeat from * to last 3 sts., K.3.

29th row.—K.2 tog., P.1, * K.2, wl. fwd., K.1, P.2, slip 1, K.2 tog., p.s.s.o., (P.2, K.1) twice, (wl. fwd.) twice, repeat from * to last 3 sts., K.1, K.2 tog.

30th row.—K.1, P.1, * (K.1, P.1) into wl. fwds. of previous row, P.1, K.2, P.2 tog., K.1, P.1, (K.2, P.1) twice, repeat from * to last 2 sts., K.2.

31st row.—K.2 tog., * (wl. fwd.) twice, (K.1, P.2) twice, slip 1, K.2 tog., p.s.s.o., P.2, K.1, wl. fwd., K.2, repeat from * to last 2 sts., K.2 tog.

32nd row.—K.1, * (P.1, K.2) twice, P.1, K.2 tog., P.1, K.2, P.1, (K.1, P.1) into wl. fwds. of previous row, repeat from * to last st., K.1. **

Repeat from ** to ** three times.

Proceed as follows:—

1st row.—K.2 tog., knit plain to last 2 sts., K.2 tog.

Repeat 1st row three times.

5th row.—K.2 tog., * K.1, wl. fwd., K.2 tog., repeat from * to last 3 sts., K.1, K.2 tog.

Repeat 1st row twice. Cast off.

Work three more Pieces in same manner.

TO MAKE UP SHAWL.—With a slightly damp cloth and warm iron, press lightly. Sew edges of border together. Sew border to centre of Shawl.

Lindsay *(continued from page 4)*

3rd row.—1 sl. st. in the first sp., 3 ch. (to stand for first tr. of "Cluster"), 1 "Cluster," * 1 "Cluster" in the next space, 1 ch., repeat from * to end of row, 2 ch., turn.

Repeat the 2nd and 3rd rows, decreasing 1 "Cluster" at each end of the next "Cluster" row and every following 6th row as follows:—Sl. st. over the 1 ch. loop, 3 ch. (to stand for first tr. of "Cluster") work in pattern to the last "Cluster," work the first 2 tr. of the "Cluster" in the last 1 ch. loop and the last tr. of the "Cluster" in the turning ch.

Continue working in this manner until work measures 6 inches from commencement (44 "Clusters"). Fasten off. Proceed as follows:—

Make 38 ch. (for sleeve) with the wrong side of the work facing, join the ch. to the Back, work across stitches of Back as given in the 2nd row, make 40 ch., turn.

In next row, work in "Clusters" across row.

Continue working in pattern until sleeve measures 3 inches from commencement, ending with the 2nd row.

In next row, work 35 "Clusters," turn.

In following row, work in pattern to end of row, turn. Work 2 rows of "Clusters" over these 35 "Clusters," ending with 3rd row.

Break off wool.

Make 12 ch., join to the last "Cluster" at centre front, and work in pattern as given in 2nd row to end of row, turn.

In next row, work 35 "Clusters," work 6 "Clusters" in the 12 ch.

Continue working over these 41 "Clusters" without shaping, until sleeve measures 7 inches from commencement ending at centre front.

Continue working on the first 22 "Clusters" as follows:—Work in pattern, increasing 1 "Cluster" (by working 2 "Clusters" in 1 ch. loop) at the arm-hole edge in the 10th and every following 6th row, until there are 25 "Clusters" in the row.

Continue until Front measures same as Back, ending with the 3rd row. Fasten off.

Miss 12 "Clusters" at centre Back, join in wool and work Left Front to correspond with Right Front.

TO MAKE UP JACKET.—With a slightly damp cloth and warm iron, press lightly. Sew up side and sleeve seams. Join in wool at neck edge, * make 1 d.c. into each foundation st., repeat from * round neck, turn.

2nd row.—1 ch., * 2 d.c. in 2 d.c., miss 1 d.c., repeat from * to end of row. Fasten off. Work an edging round jacket as follows:—With the right side of work facing, join in wool at side seam of Right Front, * 1 d.c., 2 ch., 2 tr. between the first 2 "Clusters," 1 d.c. in the next space, repeat from * along to lower edge, ** 2 d.c. in the side of tr., 1 d.c., 2 ch., 2 tr. in d.c. row of the Front, repeat from ** up Front, round neck and down the other Front, repeat from * round lower edge.

THE CUFFS.—Join in wool at sleeve seam, 1 d.c. in seam, * 1 d.c. in side of tr., 1 d.c. in base of next tr., repeat from * to end of round.

2nd round.—* 1 d.c. in each d.c., repeat from * to end of round (29 d.c.)

3rd round.—2 ch., 2 tr. in first d.c., * miss 1 d.c., 1 d.c. in next d.c., 1 d.c., 2 ch., 2 tr. in next d.c., repeat from * to end of round. Fasten off.

Sew ribbon in position.

Elaine *(continued from page 5)*

diagram, sl. st. into petal No. 1, 6 ch., sl. st. into petal No. 2, 6 ch., sl. st. into petal No. 3, 7 ch., sl. st. into sl. st. in petal No. 3 (1st picot) * 6 ch., sl. st. into petal No. 4, 6 ch., sl. st. into petal No. 5, 6 ch., sl. st. into petal No. 6, 7 ch., sl. st. into sl. st. in petal No. 6, 6 ch., sl. st. into petal No. 7, 6 ch., sl. st. into petal No. 8. Take another daisy, sl. st. into a petal which will be called petal No. 1. 6 ch., sl. st. into petal No. 2, remove hook from st. and insert in sl. st. at petal No. 7 (1st daisy), draw st. just taken off hook through petal No. 7, 6 ch., sl. st. into petal No. 3 (2nd daisy), 3 ch., remove hook and insert into centre st. of picot loop at petal No. 6 (1st daisy), and draw st. just taken off hook through 3 ch., sl. st. into sl. st. at petal No. 3 (2nd daisy).

Repeat from *, adding a new daisy every 8th petal until there are 20 daisies in first row. Continue joining petals of last daisy by 6 ch., and sl. st., making a picot in 6th and 9th petals until petal No. 11 as numbered in diagram is joined.

** Proceed as follows:—6 ch., sl. st. into petal No. 12, 7 ch., sl. st. into sl. st. in petal No. 12, 6 ch., remove hook, insert in sl. st., joining petals Nos. 1 and 8, draw st. through sl. st., 6 ch., sl. st. into petal No. 9, 3 ch., remove hook and insert into centre st. of picot loop of petal No. 12, draw st. through 3 ch., sl. st. into sl. st. of petal No. 9, 6 ch., sl. st. into petal No. 10, 6 ch., sl. st. into petal No. 11.

Repeat from ** until petal No. 11 of first daisy is reached.





Diagram for making Daisies



Half Daisy
Short Sleeve
Long Sleeve

□ Daisy
▣ Half Daisy

2nd row of daisies.—Sl. st. into petal No. 1, 6 ch., sl. st. into petal No. 2, remove hook, insert in sl. st. of petal No. 10 of 1st daisy in 1st row and draw st. just removed from hook through, *** 6 ch., sl. st. into petal No. 3, 3 ch., remove hook, insert hook into centre of sl. st. of two picots joining petals Nos. 9 and 12, draw st. through 3 ch., sl. st. into sl. st. in petal No. 3, 6 ch., sl. st. into petal No. 4, 6 ch., sl. st. into petal No. 5. Take another daisy, sl. st. into petal, which will be called No. 6, 6 ch., sl. st. into petal No. 7, remove hook from st., and insert into sl. st. at petal No. 4, draw st. through 6 ch., sl. st. into petal No. 8, 3 ch., remove hook from st., insert into centre st. of picots joining petals Nos. 12, 9 and 3, draw st. through 3 ch., sl. st. into sl. st. of petal No. 8, 6 ch., sl. st. into petal No. 9, remove hook, insert into sl. st. of petal No. 11 of 2nd daisy 1st row, draw st. through 6 ch., sl. st. into petal No. 10, remove hook, insert hook through sl. st. into petal No. 10 of 2nd daisy 1st row, draw st. through.

Repeat from *** until the 20th daisy of 2nd row is joined.

Continue in this manner until 5 rows of 20 daisies have been joined. Leave top petals of last row loose. Join petals illustrated in chart by dotted lines with ch. and picot.

THE SLEEVE.—Follow Chart for Short or Long Sleeves.

THE YOKE.—Make 98 ch. (approximately 8 ins.)

1st row.—Sl. st. into 2nd ch., * miss 2 ch., 7 d.c. into next ch. (this will be termed "Shell" throughout), miss 2 ch., sl. st. in next ch., repeat from * to end of ch., 2 ch., turn (16 "Shell").

2nd row.—Insert hook in front loop of sl. st., pull loop through, insert hook in front loop of each of next 3 d.c. and pull loops through, w.o.n., draw through all loops on hook, 1 ch. to fasten (this will be termed "Half Group" throughout), * sl. st. into front loop of next d.c., pull a loop through front loop of each of next 3 d.c., next sl. st. and next 3 d.c., w.o.n., and draw through all loops on hook, 1 ch. to fasten (this will be termed "Group" throughout), repeat from * to last 5 sts., sl. st. in front loop of next d.c., pull loop through front loops of last 3 d.c. and last sl. st., w.o.n., draw through all loops on hook, 1 ch. to fasten (this will be termed "Half Group 2" throughout), 2 ch., turn.

3rd row.—3 d.c. in fastening ch. of "Half Group 2" below, sl. st. into next sl. st., * "Shell" into fastening ch. of next "Group," sl. st. into next sl. st., repeat from * to turning ch. of row below, 4 d.c. into top st., 1 ch., turn.

4th row.—* Sl. st. into d.c. "Group," repeat from * to turning ch. of row below, sl. st. into top st., 1 ch., turn.

5th row.—* Sl. st. into sl. st., "Shell" into fastening ch. of "Group," repeat from * to turning ch., sl. st. into top st. of ch., 2 ch., turn.

Repeat 2nd to 5th row three times, then 2nd row once.

19th row.—3 d.c. into fastening ch. of "Half Group 2," sl. st. into next sl. st. ("Shell," sl. st. into next sl. st.) three times, 4 d.c. into fastening ch. of "Group," 1 ch., turn.

Work backwards and forwards on these sts.

Repeat 4th and 5th rows once, 2nd to 5th row twice, then 24 ch.

Break off wool. Join in wool at last pattern of 5th row, sl. st. into last sl. st., (miss 2 ch., "Shell" into next ch., miss 2 ch., sl. st. into next ch.) four times, 2 ch., turn. Repeat 2nd to 5th row three times. Fasten off.

LEFT SHOULDER AND FRONT.—Leave 7 "Group" from end of 19th row, join in wool, 3 d.c. into fastening ch., sl. st. into next sl. st. ("Shell," sl. st. into next sl. st.)

three times, 4 d.c. into top st., 1 ch., turn. Repeat 4th and 5th rows once, 2nd to 5th row once, 2nd to 4th row once. Continue with 25 ch.

Next row, sl. st. into 2nd ch., (miss 2 ch., "Shell," miss 2 ch., sl. st. into next ch.) four times, (sl. st. into sl. st., "Shell") four times, sl. st. into top st. of ch., 2 ch., turn. Repeat 2nd to 5th row three times. Fasten off.

Work 1 row of d.c. evenly up front round neck and down other front edge, 1 row of "Shell," and sl. st. round neck, then work 1 row of "Shell" and sl. st. along lower edge of back Yoke.

THE CUFF.—Make 62 ch., then work 1st to 5th row as given for Yoke.

TO MAKE UP JACKET.—Run a gathering thread through loose petals of first 5 daisies and half petals of 6th daisy, another through remaining loose petals of 6th daisy, following 8 daisies and half the petals of next daisy, another through remaining petals of last daisy and next 5 daisies, also through the crochet between each daisy. Place fronts under yoke and sew in position 1 row from edge. Place Back under "Shell" edge and sew in same manner. Sew up sleeve seams. Sew in sleeves, placing seam to centre of daisy under-arm. Gather lower edge to fit cuff. Sew cuffs in position. Commencing at lower edge of Jacket, work 1 d.c., * 9 ch., miss 3 sts., 1 d.c., repeat from * all round daisy edge. Crochet three loops for buttons on yoke. Sew on buttons to correspond with loops.

Robyn *(continued from page 9)*

Cast off 5 sts. at beginning of needle in next row, work in pattern to last 9 sts., K.2 tog., (P.1, K.1) three times, K.1.

Decrease once at beginning of needle in every alternate row five times, whilst at same time decreasing once at front edge (inside border) in every following 4th row twice (34 sts.).

Continue in pattern, decreasing once at front edge (inside border) in 2nd and every following 4th row until 27 sts. remain.

Work 2 rows without shaping.

Shape for shoulder as follows:—

1st row.—Work in pattern to last 10 sts., turn.

2nd and 4th rows.—Work in pattern to end of row.

3rd row.—Work in pattern to last 20 sts., turn.

5th row.—Like 2nd row.

In next row, cast off 20 sts., K.1, (K.1, P.1) twice, K.2. Work 13 rows in rib on remaining 7 sts. Cast off.

THE RIGHT FRONT.—Using No. 12 Needles, cast on 46 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row. Work to correspond with Left Front, working border and shapings at opposite ends of needle, and making a button-hole in 2nd, following 10th row twice, then in every following 14th row four times (7 button-holes).

To make a button-hole:—K.2, P.1, K.1, wl. fwd., K.2 tog., work in pattern to end of row.

NOTE.—When decreasing at front edge, slip 1, K.1, p.s.s.o., instead of K.2 tog.

THE BACK.—Using No. 12 Needles, cast on 90 sts.

1st row.—K.2, * P.1, K.1, repeat from * to end of row. Repeat 1st row twenty-three times.

Using No. 11 Needles, proceed as follows:—

**** 1st row.**—Knit plain.

2nd row.—K.1, purl to last st., K.1.

3rd row.—K.8, * (wl. fwd., K.2 tog.) twice, K.6, repeat from * to last 2 sts., K.2.

4th row.—Like 2nd row.

5th row.—K.9, * wl. fwd., K.2 tog., K.8, repeat from * to last st., K.1.

6th row.—Like 2nd row.

7th row.—Like 1st row.

8th row.—Like 2nd row.

9th row.—K.3, * (wl. fwd., K.2 tog.) twice, K.6, repeat from * to last 7 sts., (wl. fwd., K.2 tog.) twice, K.3.

10th row.—Like 2nd row.

11th row.—K.4, * wl. fwd., K.2 tog., K.8, repeat from * to last 6 sts., wl. fwd., K.2 tog., K.4.

12th row.—Like 2nd row. **

Repeat from ** to ** three times, then from ** to 8th row once.

Cast off 5 sts. at beginning of each of next 2 rows, then decrease once at each end of needle in next and every alternate row until 70 sts. remain.

Continue in pattern without shaping until armholes measure same as Front armholes.

Shape for shoulders as follows:—

1st and 2nd rows.—Work in pattern to last 10 sts., turn.

3rd and 4th rows.—Work in pattern to last 20 sts., turn.

5th row.—Work in pattern to end of row. Cast off.

THE SLEEVES.—Using No. 12 Needles, cast on 50 stitches.

1st row.—K.2, * P.1, K.1, repeat from * to end of row. Repeat 1st row seventeen times.

Using No. 11 Needles, work in pattern as given from ** to ** for Back, increasing once at each end of needle in 7th and every following 10th row until there are 60 sts. on needle.

Continue in pattern without shaping until work measures 8 ins. from commencement, ending with a purl row.

Decrease once at each end of needle in next and every alternate row until 24 sts. remain. Cast off.

Work another Sleeve in same manner.

TO MAKE UP CARDIGAN.—With a slightly damp cloth and warm iron, press lightly. Sew up side, shoulder and sleeve seams. Sew in sleeves, placing seam to seam. Join together bands from Fronts, and sew to back of neck. Sew on buttons to correspond with buttonholes.

Margaret *(continued from page 12)*

2nd row.—K.4, * K.3, wl. fwd., slip 1 purlways, wool back, repeat from * to last 7 sts., K.7.

3rd row.—Like 1st row.

4th row.—Like 2nd row.

5th row.—Knit plain.

Repeat 5th row three times. **

Repeat from ** to ** forty-three times.

Work 4 rows in Garter Stitch. Cast off.

With a slightly damp cloth and warm iron, press lightly.

Lorraine *(continued from page 13)*

**** 2nd row.**—1 d.c. on each of first tr., 2 ch., pass hook through front of first tr. of "Shell," and then through back of last tr. of same "Shell," and make 1 d.c. (this will now be termed "Tuft" throughout), * 2 ch., 1 d.c. in centre tr. of next "Shell," 2 ch., "Tuft," repeat from * to last "Shell," 2 ch., 1 d.c. in centre tr. of last "Shell," 2 ch., 1 d.c. on last tr., 1 d.c. on top of 3 ch., 3 ch., turn (12 "Tufts").

3rd row.—1 tr. on 2nd d.c., * miss 2 ch., 5 tr. in next d.c., repeat from * to last 2 d.c., 1 tr. in each d.c., 1 ch., turn.

4th row.—1 d.c. on each of first tr., * 2 ch., 1 d.c. on centre tr. of next "Shell," 2 ch., "Tuft," repeat from * to last tr., 2 ch., 1 d.c. on last tr., 1 d.c. on top of 3 ch., 3 ch., turn.

5th row.—Like 3rd row. **

Repeat from ** to ** until work measures 32 ins. from commencement. Do not fasten off.

Work 3 rows of d.c. all round outer edge, working 3 d.c. into each corner of every row.

With a slightly damp cloth and warm iron, press lightly.



SOME IMPORTANT INFORMATION



Avoid disappointment—buy the wool recommended. Buy wisely—buy enough—the same blend cannot be repeated.

TENSION is the number of stitches in width to measure one inch. On this depends the success of the finished article. If the tension is not obtainable on the needles recommended, use a size finer or coarser, as required.

ABBREVIATIONS:—

K. = Knit plain

P. = Purl

sts. = stitches

ins. = inches

tog. = together

wl. fwd. = wool forward

p.s.s.o. = pass slip stitch
over

w.o.n. = wool over needle

w.r.n. = wool round

needle

t.b.l. = through the back
of the loop

ch. = chain

tr. = treble

s.c. = single crochet

d.c. = double crochet

l.tr. = long treble (wool
over hook twice)

sl. st. = slip stitch

sp. = space

garter stitch = every row
plain

When the instructions read, "Cast off 2 stitches, K.2" (or similar stitches), the stitch on the right-hand needle, after casting off, is counted as one stitch.

Jill

(ILLUSTRATED OPPOSITE)

MATERIALS:—

PATONS BEEHIVE BABY Wool

"Patonised"—Shrink-Resist Finish.

Quantity 6 ozs.

"Parfrey" Knitting Needles—1 pair each Nos. 10 and

12, measured on a Beehive Needle Gauge.

Length of Ribbon.

MEASUREMENTS:—

Length at centre back 18 ins.

Width all round face 12 ins.

ABBREVIATIONS:—See page 33.

TENSION:—To get these measurements it is absolutely necessary to work at a tension to produce 8 stitches to the inch in width. *Check tension—see page 33.*

Using No. 10 Needles, cast on 354 stitches.

Work 17 rows in Garter Stitch.

** 1st row.—K.15, * K.1, wl. fwd., K.4, slip 1, K.2 tog., p.s.s.o., K.4, wl. fwd., repeat from * to last 15 sts., K.15.

2nd and alternate rows.—K.14, purl to last 14 sts., K.14.

3rd row.—K.17, * wl. fwd., K.3, slip 1, K.2 tog., p.s.s.o., K.3, wl. fwd., K.3, repeat from * to last 13 sts., K.13.

5th row.—K.15, K.2 tog., * wl. fwd., K.1, wl. fwd., K.2, slip 1, K.2 tog., p.s.s.o., K.2, wl. fwd., K.1, wl. fwd., slip 1, K.2 tog., p.s.s.o., repeat from * to last 25 sts., wl. fwd., K.1, wl. fwd., K.2, slip 1, K.2 tog., p.s.s.o., K.2, wl. fwd., K.17.

7th row.—K.15, * wl. fwd., slip 1, K.1, p.s.s.o., K.2, wl. fwd., K.1, slip 1, K.2 tog., p.s.s.o., K.1, wl. fwd., K.3, repeat from * to last 15 sts., K.15.

9th row.—K.16, * wl. fwd., slip 1, K.2 tog., p.s.s.o., wl. fwd., K.1, repeat from * to last 14 sts., K.14.

10th row.—Knit plain.

11th row.—K.14, purl to last 14 sts., K.14.

12th row.—Like 10th row. **

Repeat from ** to ** twice.

37th row.—Knit plain.

38th row.—K.14, purl to last 14 sts., K.14.

Repeat 37th and 38th rows eleven times, 37th row once, then from 10th to 12th rows once. ***

Repeat from ** to *** once, then from ** to ** once.

Proceed as follows:—

1st row.—K.14, * K.2 tog., repeat from * to last 14 sts., K.14 (191 sts.).

2nd row.—K.14, purl to last 14 sts., K.14.

3rd row.—Knit plain.

4th row.—Like 2nd row.

5th row.—K.23, K.2 tog., (K.12, K.2 tog.) five times, K.1, (K.2 tog. t.b.l., K.12) five times, K.2 tog. t.b.l., K.23. Work 3 rows without shaping, also after 9th, 13th, 17th, 21st and 25th row.

9th row.—K.22, K.2 tog., (K.11, K.2 tog.) five times, K.1, (K.2 tog. t.b.l., K.11) five times, K.2 tog. t.b.l., K.22.

13th row.—K.21, K.2 tog., (K.10, K.2 tog.) five times, K.1, (K.2 tog. t.b.l., K.10) five times, K.2 tog. t.b.l., K.21.

17th row.—K.20, K.2 tog., (K.9, K.2 tog.) five times, K.1, (K.2 tog. t.b.l., K.9) five times, K.2 tog. t.b.l., K.20.

21st row.—K.19, K.2 tog., (K.8, K.2 tog.) five times, K.1, (K.2 tog. t.b.l., K.8) five times, K.2 tog. t.b.l., K.19.

25th row.—K.18, K.2 tog., (K.7, K.2 tog.) five times, K.1, (K.2 tog. t.b.l., K.7) five times, K.2 tog. t.b.l., K.18.

29th row.—K.17, K.2 tog., (K.6, K.2 tog.) five times, K.1, (K.2 tog. t.b.l., K.6) five times, K.2 tog. t.b.l., K.17 (107 sts.).

30th row.—K.14, purl to last 14 sts., K.14.

31st row.—Knit plain.

32nd row.—Like 30th row.

33rd row.—K.53, K.2 tog., K.52.

34th row.—Like 30th row.

Using No. 12 Needles, proceed as follows:—

1st row.—K.2, * P.1, K.1, repeat from * to end of row. Repeat 1st row three times.

5th row.—K.2, * wl. fwd., K.2 tog., repeat from * to last 2 sts., K.2.

Repeat 1st row four times.

10th row.—K.2, (P.1, K.1) nine times, K.2 tog., * (P.1, K.1) ten times, K.2 tog., repeat from * to last 18 sts., (P.1, K.1) nine times (102 sts.).

THE HOOD.—Using No. 10 Needles, work on these 102 sts. as follows:—

Work as given from ** to ** for Cape, six times. Cast off.

TO MAKE UP CAPE AND HOOD.—With a slightly damp cloth and warm iron, press lightly. Fold Hood in half and sew top seam. Thread ribbon through holes at neck.

GRAFTING.—With the wool at one end and with the right side of the work facing, break off the wool, leaving a length of several inches, and thread this with a wool needle. * Inserting the wool needle, as if for knitting, into the first stitch of the front needle, draw it through the stitch and slip the latter off the needle; inserting the needle, as if for purling, into the second stitch of the front needle, draw the wool through and let the stitch remain on the needle; taking the wool under the front needle and inserting the wool needle, as if for purling, into the first stitch of the back needle, draw the wool through this stitch, and slip the latter off the needle; inserting the needle, as if for knitting, into the second stitch of the back needle, draw the wool through and let the stitch remain on the needle; bring the wool forward under the needle and repeat from * until all the stitches are worked off, darning in the end of the wool securely when finished.

Wholly Set Up and Printed in Australia

Published With All Rights Reserved by



PATONS & BALDWIN'S LTD.

MELBOURNE BRANCH
84-94 Flinders Lane

SYDNEY BRANCH
181 Clarence Street



PATONS &
BALDWIN'S



"JILL"
See page 34



Pats

KNITTING BOOK
NO. 249 (GIANT)

"LESLIE"
See page 15